



KEEPS
THE WORLD
MOVING





22nd SEPTEMBER, 2025
PRICE LIST



ABBREVIATIONS DETAILS

Part Numbering System



Fork Assembly	Series No.	Fastening	Wheel Material
 Z=(Zinc Plated)	01= Light duty	 04 - Fix	11 = Polyolefin (flat tread)
 J=(Dark green painted)	03S= Medium/Light duty	 01 - Swivel	12 = Polyolefin (round tread)
	05S= Medium/Heavy duty		20 = Polyurethane (flat tread)
	07S= Heavy duty		25 = Hi-Tech Polyurethane (skidproof)
 HP23	08= Light duty	 01D -Swivel+ Brake	28 = C.I/Urethane wheel (round tread)
	10= Ultra heavy duty		30 = C.I/Urethane wheel (flat tread)
	11= Super heavy duty		35 = Super strong PU
 C=(Chrome Plated)	12 = Heavy duty	 02 - Thread Stem	36 = Ultra strong PU
	17 = Super heavy duty		41 = TPR wheel (flat tread)
	19 = Medium/Light duty		42 = TPR wheel (round tread)
 WP=(White Plastic)	23 = Medium/Light duty	 02D - Thread + Brake	54 = Foam elasticrubber
			52 = Pneumatic elastic rubber
		 02E - Single Brake (Plastic)	61 = Nylon (flat tread)
			62 = Nylon (round tread)
			66 = Nylon
			Bearing Model
			1 = central precision ball bearing
			2 = double ball bearing
			3 = delrin bearing
			4 = plain bore (bushing)



J03S




Grand Polyurethane With Single Ball Bearing



Code : 03-351



Wheel construction



IV-J03S-04-100-351



IV-J03S-01-75-351



IV-J03S-01D-125-351



IV-J03S-02-100-351



IV-J03S-02D-50-351

Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading height (mm)	Swivel radius (mm)	Brake swivel radius (mm)	*	NO. Model	Price/Each Rs.
40 (1.6")	22	32	Polyurethane (PU)	61	40	72 ⊠ Bearing: 608	(A) 48x30	IV-J03S-04-40-351	
							(B) 60x43	IV-J03S-01-40-351	
							(C) 42x30	IV-J03S-01D-40-351	
							(D) 6.5	IV-03S-40/22-351-WH	
50 (2")	25	40	Polyurethane (PU)	74	48	80 ⊠ Bearing: 6000	(A) 55x35	IV-J03S-04-50-351	
							(B) 70x51	IV-J03S-01-50-351	
							(C) 49x35	IV-J03S-01D-50-351	
							(D) 8.5	IV-J03S-02-50-351	
63 (2½)	32	72	Polyurethane (PU)	95	67.5	112 ⊠ Bearing: 6002	(A) 78x45	IV-J03S-02D-50-351	
							(B) 95x66	IV-03S-50/26-351-WH	
							(C) 71x45	IV-J03S-04-63-351	
							(D) 8.5	IV-J03S-01-63-351	
75 (3")	32	100	Polyurethane (PU)	98	74.5	117 ⊠ Bearing: 6002	(A) 78x45	IV-J03S-01D-63-351	
							(B) 95x66	IV-J03S-02-63-351	
							(C) 71x45	IV-J03S-02D-63-351	
							(D) 8.5	IV-03S-63/32-351-WH	
100 (4")	32	130	Polyurethane (PU)	106	88	121 ⊠ Bearing: 6202	(A) 78x45	IV-J03S-04-75-351	
							(B) 95x66	IV-J03S-01-75-351	
							(C) 71x45	IV-J03S-01D-75-351	
							(D) 8.5	IV-J03S-02-75-351	
125 (5")	32	142	Polyurethane (PU)	108.50	101.5	126 ⊠ Bearing: 6202	(A) 78x45	IV-J03S-02D-75-351	
							(B) 95x66	IV-03S-75/32-351-WH	
							(C) 71x45	IV-J03S-04-100-351	
							(D) 8.5	IV-J03S-01-100-351	
				133			(A) 78x45	IV-J03S-01D-100-351	
							(B) 95x66	IV-J03S-02-100-351	
							(C) 71x45	IV-J03S-02D-100-351	
							(D) 8.5	IV-03S-100/32-351-WH	
				155			(A) 78x45	IV-J03S-04-125-351	
							(B) 95x66	IV-J03S-01-125-351	
							(C) 71x45	IV-J03S-01D-125-351	
							(D) 8.5	IV-J03S-02-125-351	
				157.5			(A) 78x45	IV-J03S-02D-125-351	
							(B) 95x66	IV-03S-125/32-351-WH	
							(C) 71x45		
							(D) 8.5		



J03S

High-tech Polyurethane Wheels With Single Ball Bearing




IV-J03S-04-75-361



IV-J03S-01-100-361



IV-J03S-01D-125-361



 Wheel dia (mm)	 Tread width (mm)	 Load capacity (kg.) Per Pc.	 Wheel material	 Loading height (mm)	 Swivel radius (mm)	 Brake swivel radius (mm)	*	NO. Model	Price/Each Rs.
40 (1.6")	22	32	Hi Tech Polyurethane (PU)	61	40	72 ⌀ Bearing: 608	(A) 48x30	IV-J03S-04-40-361	
							(B) 60x45	IV-J03S-01-40-361	
							(C) 42x30	IV-J03S-01D-40-361	
							(D) 6.5	IV-03S-40/22-361-WH	
50 (2")	25	40	Hi Tech Polyurethane (PU)	74	48	80 ⌀ Bearing: 6000	(A) 55x35	IV-J03S-04-50-361	
							(B) 70x51	IV-J03S-01-50-361	
							(C) 49x35	IV-J03S-01D-50-361	
							(D) 8.5	IV-03S-50/26-361-WH	
63 (2½")	32	72	Hi Tech Polyurethane (PU)	95	67.5	112 ⌀ Bearing: 6002	(A) 78x45	IV-J03S-04-63-361	
							(B) 95x66	IV-J03S-01-63-361	
							(C) 71x45	IV-J03S-01D-63-361	
							(D) 8.5	IV-03S-63/32-361-WH	
75 (3")	32	100	High-Tech Polyurethane (PU)	106	74.5	117 ⌀ Bearing: 6002	(A) 78x45	IV-J03S-04-75-361	
							(B) 95x66	IV-J03S-01-75-361	
							(C) 71x45	IV-J03S-01D-75-361	
							(D) 8.5	IV-03S-75/32-361-WH	
100 (4")	32	130	High-Tech Polyurethane (PU)	130	88	121 ⌀ Bearing: 6202	(A) 78x45	IV-J03S-04-100-361	
							(B) 95x66	IV-J03S-01-100-361	
							(C) 71x45	IV-J03S-01D-100-361	
							(D) 8.5	IV-03S-100/32-361-WH	
125 (5")	32	142	High-Tech Polyurethane (PU)	155	101.5	126 ⌀ Bearing: 6202	(A) 78x45	IV-J03S-04-125-361	
							(B) 95x66	IV-J03S-01-125-361	
							(C) 71x45	IV-J03S-01D-125-361	
							(D) 8.5	IV-03S-125/32-361-WH	

PRODUCT	 Wheel material	 Wheel dia(mm)	 Tread width (mm)	 Load Capacity (kg.) Per Pc.	 Load Height (mm)	 Plate Size (mm)	NO. Model	Price/Each Rs.
 IV-C08-01E-25-411	Thermoplastic Rubber (TPR)	25(1")	12	10	37	(A) 29X21 (B) 38X30 (D) 4.2	IV-C08-04-25-411	
							IV-C08-01-25-411	
							IV-C08-01E-25-411	
 IV-C08-04-32-421	Thermoplastic Rubber (TPR)	32(1¼")	12	15	44	(A) 30x24 (B) 39x33 (D) 4.2	IV-C08-04-32-421	
							IV-C08-01-32-421	
							IV-C08-01E-32-421	



IV-J03S-111- Polypropelene (PP)



32-142kg

New




IV-J03S-04-100-111



IV-J03S-01-75-111



IV-J03S-01D-125-351



Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading hight (mm)	Swivel radius (mm)	Brake swivel radius (mm)	*	NO. Model	Price/Each Rs.
40 (1 $\frac{3}{5}$)	22	32	Poly proplene (PP)	61	40	72	(A) 48x30 (B) 60x43 (C) 42x30 (D) 6.5 Bearing: 608	IV-JO3S-04-40-111	
								IV-JO3S-01-40-111	
								IV-JO3S-01D-40-111	
								IV-O3-40/22-111-WH	
50 (2")	25	40	Poly proplene (PP)	74	48	80	(A) 55x35 (B) 70x51 (C) 49x35 (D) 8.5 Thread Size M10x25 Bearing: 6000	IV-JO3S-04-50-111	
								IV-JO3S-01-50-111	
								IV-JO3S-01D-50-111	
								IV-O3-50/22-111-WH	
63 (2 $\frac{1}{2}$)	32	72	Poly proplene (PP)	95	67.5	112	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.5 Thread Size M12x25 Bearing: 6002	IV-JO3S-04-63-111	
				98				IV-JO3S-01-63-111	
								IV-JO3S-01D-63-111	
								IV-O3-63/22-111-WH	
75 (3")	32	100	Poly proplene (PP)	106	74.5	117	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.5 Thread Size M12x25 Bearing: 6002	IV-JO3S-04-75-111	
				108.50				IV-JO3S-01-75-111	
								IV-JO3S-01D-75-111	
								IV-O3-75/22-111-WH	
100 (4")	32	130	Poly proplene (PP)	130	88	121	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.5 Thread Size M12x25 Bearing: 6202	IV-JO3S-04-100-111	
				133				IV-JO3S-01-100-111	
								IV-JO3S-01D-100-111	
								IV-O3-100/22-111-WH	
125 (5")	32	142	Poly proplene (PP)	155	101.5	126	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.5 Thread Size M12x25 Bearing: 6202	IV-JO3S-04-125-111	
				157.5				IV-JO3S-01-125-111	
								IV-JO3S-01D-125-111	
								IV-O3-125/22-111-WH	



SUPO - Manufacturing code explanation

A	B	C	D	E	F	G	H	I	J
0	1	2	3	4	5	6	7	8	9

BIAJ : 1809 September 2018

CFAE : 2504 April 2025

BJAF : 1905 May 2019



IV-JO3S - Thermoplastic Rubber (TPR) Single Ball Bearing



80-10kg

New




IV-J03S-04-100-411



IV-J03S-01-75-411



IV-J03S-01D-100-411



Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading height (mm)	Swivel radius (mm)	Brake swivel radius (mm)	Plate size (mm)	NO. Model	Price/Each Rs.
75 (3")	32	80	Thermoplastic Rubber (TPR)	106	74.5	117	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.5	IV-J03S-04-75-411	
				108.50				IV-J03S-01-75-411	
								IV-J03S-01D-75-411	
								IV-03S-75/32-411	
100 (4")	32	110	Thermoplastic Rubber (TPR)	130	88	121	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.5	IV-J03S-04-100-411	
				133				IV-J03S-01-100-411	
								IV-J03S-01D-100-411	
								IV-03S-100/32-411	


High-Temperature Wheel



IV-J03S-04-100-633



IV-J03S-01-100-633



Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading height (mm)	Swivel radius (mm)	Brake swivel radius (mm)	Plate size (mm)	NO. Model	Price/Each Rs.
100 (4")	32	105	260°C Hi-Temp Nylon	130	88	121	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.5 Delrin	IV-J03S-04-100-633	
								IV-J03S-01-100-633	
								IV-03/32-100-633	

Note : Recommended not to use more than 4hours continuously



J05S PP & TPR

SUPO®



167-310kg



IV-J05S-04-100-112



IV-J05S-01-100-112



IV-J05S-01D-100-112



IV-J05S-02-75-112



Code No. 05-112



Wheel Structure

Polypropylene Wheel With Double Ball Bearing

Wheel Dia (mm)	Tread Width (mm)	Load Capacity (kg.) Per Pc.	Wheel Material	Loading Hight (mm)	Swivel Radius (mm)	Brake Swivel Radius (mm)	*	NO. Model	Price/Each Rs.
75 (3")	38	167	Polypropylene (PP)	112	75	108	Beaing: 6001ZZ	(A) 80x60	IV-J05S-04-75-112
								(B) 101x82	IV-J05S-01-75-112
								(C) 73x53	IV-J05S-01D-75-112
								(D) 11	IV-J05S-02-75-112
								Thread Size (MM)	IV-J05S-02D-75-112
								M16x35	IV-05S-75/38-112-WH
100 (4")	38	205	Polypropylene (PP)	137	88	114	Beaing: 6002ZZ	(A) 80x60	IV-J05S-04-100-112
								(B) 101x82	IV-J05S-01-100-112
								(C) 73x53	IV-J05S-01D-100-112
								(D) 11	IV-05S-100/38-112-WH
125 (5")	40	272	Polypropylene (PP)	164	106	127	Beaing: 6202ZZ	(A) 88x75	IV-J05S-04-125-112
								(B) 113x100	IV-J05S-01-125-112
								(C) 81x68	IV-J05S-01D-125-112
								(D) 11	IV-05S-125/40-112-WH
150 (6")	40	310	Polypropylene (PP)	191	118	130	Beaing: 6202ZZ	(A) 88x75	IV-J05S-04-150-112
								(B) 113x100	IV-J05S-01-150-112
								(C) 81x68	IV-J05S-01D-150-112
								(D) 11	IV-05S-150/40-112-WH

New




IV-J05S-04-75-412



IV-J05S-01-75-412



IV-J05S-01D-75-412



Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading hight (mm)	Swivel radius (mm)	Brake swivel radius (mm)	Plate size (mm)	NO. Model	Price/Each Rs.
75 (3")	38	110	Thermoplastic Rubber (TPR)	112	75	108	Beaing: 6001ZZ	(A) 80x60	IV-J05S-04-75-412
								(B) 101x82	IV-J05S-01-75-412
								(C) 73x53	IV-J05S-01D-75-412
								(D) 11	IV-05S-75/38-412
100 (4")	38	150	Thermoplastic Rubber (TPR)	137	88	114	Beaing: 6002ZZ	(A) 80x60	IV-J05S-04-100-412
								(B) 101x82	IV-J05S-01-100-412
								(C) 73x53	IV-J05S-01D-100-412
								(D) 11	IV-05S-100/38-412




J07S

SUPO®



235-370kg



**Skidproof Polyurethane Wheels
with PP Core Double Ball Bearing**



100/125/150/200-252



Wheel Construction

⊗⊗ Bearing: 6203ZZ



IV-J07S-04-100-252



IV-J07S-01-150-252



IV-J07S-01D-200-252

Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading height (mm)	Swivel radius (mm)	Brake swivel radius (mm)	*	NO. Model	Price/Each Rs.
100 (4")	45	235	Polyurethane (PU-S)	143	87	139	(A) 92x67	IV-J07S-04-100-252	
							(B) 115x100	IV-J07S-01-100-252	
							(C) 76x76	IV-J07S-01D-100-252	
							(D) 11 ⊗⊗ Bearing: 6203ZZ	IV-07S-100/45-252-WH	
125 (5")	45	295	Polyurethane (PU-S)	164	104	149	(A) 92x67	IV-J07S-04-125-252	
							(B) 115x100	IV-J07S-01-125-252	
							(C) 76x76	IV-J07S-01D-125-252	
							(D) 11 ⊗⊗ Bearing: 6203ZZ	IV-07S-125/45-252-WH	
150 (6")	45	350	Polyurethane (PU-S)	190	121	150	(A) 92x67	IV-J07S-04-150-252	
							(B) 115x100	IV-J07S-01-150-252	
							(C) 76x76	IV-J07S-01D-150-252	
							(D) 11 ⊗⊗ Bearing: 6203ZZ	IV-07S-150/45-252-WH	
200 (8")	45	370	Polyurethane (PU-S)	240	158	172	(A) 92x67	IV-J07S-04-200-252	
							(B) 115x100	IV-J07S-01-200-252	
							(C) 76x76	IV-J07S-01D-200-252	
							(D) 11 ⊗⊗ Bearing: 6203ZZ	IV-07S-200/45-252-WH	




J07S

SUPO®



290-505kg



Polyurethane Wheel with
C.I. Core Double Ball Bearing



IV-J07S-04-150-282



IV-J07S-01-150-282



IV-J07-01D-150-282

Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading height (mm)	Swivel radius (mm)	Brake swivel radius (mm)	*	NO. Model	Price/Each Rs.
100 (4")	45	290	Polyurethane (C.I + PU)	143	87	139	(A) 92x67	IV-J07S-04-100-282	
							(B) 115x100	IV-J07S-01-100-282	
							(C) 76x76	IV-J07S-01D-100-282	
							(D) 11	IV-07S-100/45-282-WH	
125 (5")	45	330	Polyurethane (C.I + PU)	164	104	149	Bearing: 6203ZZ	IV-J07S-04-125-282	
							(A) 92x67	IV-J07S-01-125-282	
							(B) 115x100	IV-J07S-01D-125-282	
							(C) 76x76	IV-07S-125/45-282-WH	
150 (6")	45	440	Polyurethane (C.I + PU)	190	121	150	(D) 11	IV-J07S-04-150-282	
							Bearing: 6203ZZ	IV-J07S-01-150-282	
							(A) 92x67	IV-J07S-01D-150-282	
							(B) 115x100	IV-07S-150/45-282-WH	
200 (8")	45	505	Polyurethane (C.I + PU)	240	158	172	(C) 76x76	IV-J07S-04-200-282	
							(D) 11	IV-J07S-01-200-282	
							Bearing: 6203ZZ	IV-J07S-01D-200-282	
							(A) 92x67	IV-07S-200/45-282-WH	




J07S

SUPO



280-440kg

Polypropylene Wheel With Double Ball Bearing



IV-J07S-04-150-122



IV-J07S-01-200-122



IV-J07S-01D-100-122





100/125/150/200-122

Wheel Construction

Bearing: 6203ZZ

Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading hight (mm)	Swivel radius (mm)	Brake swivel radius (mm)	*	NO. Model	Price/Each Rs.
100 (4")	45	280	Polypropylene (PP)	143	87	139	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11 Bearing: 6203ZZ	IV-J07S-04-100-122	
								IV-J07S-01-100-122	
								IV-J07S-01D-100-122	
								IV-07S-100/45-122-WH	
125 (5")	45	340	Polypropylene (PP)	164	104	149	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11 Bearing: 6203ZZ	IV-J07S-04-125-122	
								IV-J07S-01-125-122	
								IV-J07S-01D-125-122	
								IV-07S-125/45-122-WH	
150 (6")	45	400	Polypropylene (PP)	190	121	150	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11 Bearing: 6203ZZ	IV-J07S-04-150-122	
								IV-J07S-01-150-122	
								IV-J07S-01D-150-122	
								IV-07S-150/45-122-WH	
200 (8")	45	440	Polypropylene (PP)	240	158	172	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11 Bearing: 6203ZZ	IV-J07S-04-200-122	
								IV-J07S-01-200-122	
								IV-J07S-01D-200-122	
								IV-07S-200/45-122-WH	

Polypropylene Wheels With Single Ball Bearing



IV-Z08-04-75-151

IV-Z08-01-50-151

IV-Z08-01-100-151

IV-Z08-02-75-151

Wheel Dia (mm)	Tread Width (mm)	Load Capacity (kg.) Per Pc.	Wheel Material	Loading Hight (mm)	Swivel Radius (mm)	Brake Swivel Radius (mm)	*	NO. Model	Price/Each Rs.
50 (2")	20	35	Polypropylene (PP)	77	52	86	6000ZZ	(A) 46x35 (B) 60x49 (C) 45x30 (D) 6.5 Thread Size (mm) M10x20	IV-Z08-04-50-151
									IV-Z08-01-50-151
									IV-Z08-01D-50-151
									IV-Z08-02-50-151
									IV-Z08-02D-50-151
									IV-08-50/20-151-WH
63 (2½)	20	45	Polypropylene (PP)	90	59	88	6000ZZ	(A) 53x37 (B) 70x52 (C) 52x30 (D) 6.5 Thread Size (mm) M10x20	IV-Z08-04-63-151
									IV-Z08-01-63-151
									IV-Z08-01D-63-151
									IV-Z08-02-63-151
									IV-Z08-02D-63-151
									IV-08-63/20-151-WH
75 (3")	25	72	Polypropylene (PP)	104	69	99	6002ZZ	(A) 55x43 (B) 73x60 (C) 54x36 (D) 8.5 Thread Size (mm) M12x25	IV-Z08-04-75-151
									IV-Z08-01-75-151
									IV-Z08-01D-75-151
									IV-Z08-02-75-151
									IV-Z08-02D-75-151
									IV-08-75/25-151-WH
100 (4")	25	81	Polypropylene (PP)	129	85	109	6002ZZ	(A) 55x43 (B) 73x60 (C) 54x36 (D) 8.5 Thread Size (mm) M12x25	IV-Z08-04-100-151
									IV-Z08-01-100-151
									IV-Z08-01D-100-151
									IV-Z08-02-100-151
									IV-Z08-02D-100-151
									IV-08-100/25-151-WH



J10

SUPO®




2000-4000kg

Wheel and material introduction

Horn construction :



Nylon wheel with Taper Roller Bearing



Code No. J10-PA-M

Bearing Structure

Ultra heavy duty PA wheel
Size : 150/200/250/300 (mm)



	150	200	250	300
D	15	19	19	19
B	10	12	15	15

Coniform bearing

PRODUCT	Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading hight (mm)	Swivel radius (mm)	Plate size (mm)	Bearing	NO. Model	Price/Each Rs.
	150 (6")	70	2000	PA	217	119	(A) 125x90 (B) 160x125 (D) 15		IV-J10-04-150-615	
	200 (8")	70	2500	PA	275	152	(A) 140x100 (B) 175x135 (D) 15		IV-J10-01-150-615	
	250 (10")	85	3000	PA	330	187	(A) 160x120 (B) 200x160 (D) 17		IV-J10-04-250-615	
	300 (12")	85	4000	PA	380	215	(A) 170x130 (B) 210x170 (D) 17		IV-J10-01-250-615	
									IV-J10-04-300-615	
									IV-J10-01-300-615	



HP23

SUPO®



130-142kg



IV-HP23-02-100-201



IV-HP23-02D-125-201

Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading hight (mm)	Swivel radius (mm)	Brake swivel radius (mm)	Plate size (mm)	NO. Model	MRP
100	32	130	Polyurethane (PU)	136.5	85	127	M12x25	IV-HP23-02-100-201	
								IV-HP23-02D-100-201	
125	32	142	Polyurethane (PU)	161.5	100	137	M12x25	IV-HP23-02-125-201	
								IV-HP23-02D-125-201	



J11, J12

SUPO®



150-600kg

Nylon Wheels With Double Ball Bearing




Nylon Size: 63/75(mm)

Nylon Wheels With Delrin Bush Bearing



Nylon Size: 40/50/63/75(mm)



PRODUCT	Wheel material	Wheel dia (mm)	Tread width (mm)	Load Capacity (kg.) Per Pc.	Load Height (mm)	Bearing	Plate Size (mm)	NO. Model	Price/Each Rs.
	NYLON	63(2.5")	50	550	95	Double Ball Bearing 6204ZZ	(A) 85X60 (B)107X82 (C) 80X60 Ø10.5	IV-J11-04-63-612	
		75(3")		600	105			IV-J11-04-75-612	
	NYLON	63(2.5")	50	550	95	Double Ball Bearing 6204ZZ	(A) 85X60 (B)107X82 (C) 80X60 Ø10.5	IV J11-01-63-612	
		75(3")		600	105			IV J11-01-75-612	
	NYLON	63(2.5")	50	550	93	Double Ball Bearing 6204ZZ	(A) 85X60 (B)107X82 (C) 80X60 Ø10.5	IV-J11-01E-63-612	
		75(3")		600	104			IV-J11-01E-75-612	
	NYLON	40(1.6")	50	150	62	Delrin	(A) 78X45 (B)95X66 (C) 71X45 Ø8.5	IV J12-04-40-613	
		50(2.0")		180	72			IV J12-04-50-613	
		63(2.5")		200	85			IV J12-04-63-613	
		75(3")		250	99			IV J12-04-75-613	
	NYLON	40(1.6")	50	150	62	Delrin	(A) 78X45 (B)95X66 (C) 71X45 Ø8.5	IV J12-01-40-613	
		50(2.0")		180	72			IV J12-01-50-613	
		63(2.5")		200	85			IV J12-01-63-613	
		75(3")		250	99			IV J12-01-75-613	

PRODUCT	Wheel material	Wheel dia (mm)	Tread width (mm)	Load Capacity (kg)/Pc.	Bearing	Inner Size (mm)	Outer Size (mm)	NO. Model	Price/Each
Without Bearing	PA	80 (3.2")	69	400	6204	47mm	20mm	IV-21-80/69-622-PA	
	PP		69	300	6204	47mm	20mm	IV-21-80/69-112-PP	
Without Bearing	PA	180 (7") 200 (8")	50	650 700	6204	47mm	20mm	IV-21-180/50-612-PA	
	PP			500 600				IV-21-180/50-112-PP	



J17

SUPO®



440-900kg




IV-J17-04-150-282



IV-J17-01-150-282



IV-J17-01D-150-282



SWIVEL PLATE WITH THRUST BEARING


Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading hight (mm)	Swivel radius (mm)	Brake swivel radius (mm)	Bearing	*	NO. Model	Price/Each Rs.
150 (6")	52	440	Polyurethane (282)	200	123	148		(A) 90x64 (B) 115x101 (C) 80x76 (D) 11	IV-J17-04-150-282	
									IV-J17-01-150-282	
									IV-J17-01D-150-282	
									IV-17-150/52-282-WH	
200 (8")	55	505	Polyurethane (282)	251	158	162	Double Ball Bearing (6203ZZ)	(A) 110x66 (B) 140x110 (C) 110x84 (D) 13	IV-J17-04-200-282	
									IV-J17-01-200-282	
									IV-J17-01D-200-282	
									IV-17-200/55-282-WH	



IV-J17-04-150-662



IV-J17-01-150-662



Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading hight (mm)	Swivel radius (mm)	Brake swivel radius (mm)	Bearing	*	NO. Model	Price/Each Rs.
150 (6")	50	750	Nylon PA	200	123	148		(A) 90x64 (B) 115x101 (C) 80x76 (D) 11	IV-J17-04-150-662	
									IV-J17-01-150-662	
									IV-J17-01D-150-662	
									IV-17-WH-150/50-662	
200 (8")	50	900	Nylon PA	251	158	162	Double Ball Bearing (6203ZZ)	(A) 110x66 (B) 140x110 (C) 110x84 (D) 13	IV-J17-04-200-662	
									IV-J17-01-200-662	
									IV-J17-01D-200-662	
									IV-17-WH-200/50-662	

**C01****SUPO®****Plain Bore
TPR wheel****6-25kg**

IV-C01-04-25-414



IV-C01-01-38-414



IV-C01-01E-50-414



IV-C01-02-50-414




IV-C01-02E-50-414




IV-C01-75-414



Wheel Structure



Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading height (mm)	Swivel radius (mm)	Brake swivel radius (mm)	Bearing	*	NO. Model	Price/Each Rs.
25 (1")	13	6	Thermoplastic Rubber (TPR)	35	26	46		A) 29x13 B) 36x20	IV-C01-04-25-414	
								A) 30x24 B) 38x33 D) 4.3	IV-C01-01-25-414	
									IV-C01-01E-25-414	
38 (1½")	18	18	Thermoplastic Rubber (TPR)	50.5	36	56		A) 36x15 B) 46x25	IV-C01-04-38-414	
								A) 36x28 B) 46x38 D) 5.3	IV-C01-01-38-414	
									IV-C01-01E-38-414	
50 (2")	22	25	Thermoplastic Rubber (TPR)	65	48	71		A) 45x25 B) 58x40	IV-C01-04-50-414	
									IV-C01-01-50-414	
									IV-C01-01E-50-414	
								M8x20	IV-C01-02-50-414	
									IV-C01-02E-50-414	

Wheel and Material**Solid Rubber Tyre Size: 150/200/250(mm)
Foam ER**

Solid Rubber Tyre



Wheel Structure

PRODUCT	Wheel material	Wheel dia (mm)	Tread Width (mm)	Load Capacity (kg.) Per Pc.	Load Height (mm)	Swivel Radius (mm)	Plate Size (mm)	NO. Model	Price/Each Rs.
 IV-YK27-04-150-542	Solid Rubber Tyre (SRT)	150 (6")	55	150	190	125	(A) 92X67 (B) 115X100 (C) 76X76 (D) 110 Bearing: 9202ZZ	IV-YK27-04-150-542	
								IV-YK27-01-150-542	
								IV-27-150/55-542-WH	
 IV-YK27-01-200-542	Solid Rubber Tyre (SRT)	200 (8")	63	200	250	167	(A) 92X67 (B) 116X100 (C) 76X76 (D) 110 Bearing: 9202ZZ	IV-YK27-04-200-542	
								IV-YK27-01-200-542	
								IV-27-200/63-542-WH	
	Solid Rubber Tyre (SRT)	250 (10")	63	250	295	190	(A) 92X67 (B) 115X100 (C) 76X76 (D) 110 Bearing: 9202ZZ	IV-YK27-04-250-542	
								IV-YK27-01-250-542	
								IV-27-250/63-542-WH	



AGV Caster Wheel



120-500 kg

11A 120-300



Model	Material	Wheel Dia (mm)	Tread Width (mm)	Load Capacity (kg)	Load Height (mm)	Plate Size (mm)
Z11A-01-50-672	PA	50	45	350	78	(A)64x64
Z11A-01-50-372	TPU	50		80		
Z11A-01-65-912	CPU	65	47	120	95	
Z11A-01-75-912		75		150	105	
Z11A-01-65-922		65		250	95	
Z11A-01-75-922		75		300	105	
Z11A-01-65-952	ER	65		100	95	
Z11A-01-75-952		75		120	105	

11B 120-250



Model	Material	Wheel Dia (mm)	Tread Width (mm)	Load Capacity (kg)	Load Height (mm)	Plate Size (mm)
Z11B-01-65-912	CPU	65	47	120	97	(A)64x64
Z11B-01-75-912		75		150	106	
Z11B-01-65-922		65		200	97	
Z11B-01-75-922		75		250	106	
Z11B-01-65-952	ER	65		100	97	
Z11B-01-75-952		75		120	106	

11C 80-150



Model	Material	Wheel Dia (mm)	Tread Width (mm)	Load Capacity (kg)	Load Height (mm)	Plate Size (mm)
Z11C-01-50-372	TPU	50	45	80	86	(A)64x64
Z11C-01-65-912	CPU	65	47	100	100	
Z11C-01-75-912		75		120	109	
Z11C-01-65-922		65		120	100	
Z11C-01-75-922		75		150	109	
Z11C-01-65-952	ER	65		100	100	
Z11C-01-75-952		75		120	109	

15 15-29



Model	Material	Wheel Dia (mm)	Tread Width (mm)	Load Capacity (kg)	Load Height (mm)	Plate Size (mm)
Z15-01-32-422	TPR	32	27	15	45	(A)36x28
Z15-01-38-422		38		20	52	

15A 15



Model	Material	Wheel Dia (mm)	Tread Width (mm)	Load Capacity (kg)	Load Height (mm)	Plate Size (mm)
Z15A-01-38-421	TPR	38	16	15	52	(A)36x28

29A 180-250



Model	Material	Wheel Dia (mm)	Tread Width (mm)	Load Capacity (kg)	Load Height (mm)	Plate Size (mm)
Z29A-01-65-912	CPU	65	47	120	98-108	(A)78x78
Z29A-01-75-912		75		150	108-118	
Z29A-01-65-922		65		180	98-108	
Z29A-01-75-922		75		250	108-118	
Z29A-01-65-952	ER	65		100	98-108	
Z29A-01-75-952		75		120	108-118	

29C 400-500



Model	Material	Wheel Dia (mm)	Tread Width (mm)	Load Capacity (kg)	Load Height (mm)	Plate Size (mm)
Z29C-01-100-924	CPU	75	63	400	145-155	(A)110x66
		100	68	500	170-180	(A)110x84

30A 400-500



Model	Material	Wheel Dia (mm)	Tread Width (mm)	Load Capacity (kg)	Load Height (mm)	Plate Size (mm)
Z30A-01-75-924	CPU	75	63	400	123	(A)90x90
Z30A-01-100-924		100	68	500	150	



200



Model	Material	Wheel Dia (mm)	Tread Width (mm)	Load Capacity (kg)	Load Height (mm)	Plate Size (mm)	MRP
IV-B-129A-PL-75 ALU+PU	ALU+PU	75	50	200	102-116	110X85	6000/-

ALL THESE ITEMS ARE NON-STOCK



IV-1M / HM25 **SUPO**



60-120kg



IV-1M-WP50-01-75-323



IV-1M-WP50-01D-100-323



IV-1M-WP50-02D-75-323



IV-1M-WP50-02D-100-323

Nylon Bush



22 IDx28 ODx45L

M.S Bush



M12x25

Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading hight (mm)	Swivel radius (mm)	Brake swivel radius (mm)	Plate size (mm)	Thread size (mm)	NO. Model	Price/Each Rs.
75 (3")	58	60	Polyurethane (PU)	102	64	77	(A)50x40 (B)76x61 (C)60x40 (D)8.5	M12x25	IV-1M-WP50-01-75-323	
				94					IV-1M-WP50-01D-75-323	
									IV-1M-WP50-02-75-323	
									IV-1M-WP50-02D-75-323	
100 (4")	58	80	Polyurethane (PU)	125	88	103	(A)60x50 (B)90x75 (C)70x55 (D)8.5	M12x25	IV-1M-WP50-01-100-323	
				121					IV-1M-WP50-01D-100-323	
									IV-1M-WP50-02-100-323	
									IV-1M-WP50-02D-100-323	
125 (5")	68	120	Polyurethane (PU)	149	109	120		M12x25	IV-1M-WP21-02(M12)-125-322	
								M12x25	IV-1M-WP21-02D(M12)-125-322	
								M16x25	IV-1M-WP21-02(M16)-125-322	
								M16x25	IV-1M-WP21-02D(M16)-125-322	

New




IV-HM25-02-100-312



IV-HM25-02D-100-312

D=22Ø or D=28Ø



M.S.BUSH


Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading hight (mm)	Swivel radius (mm)	Brake swivel radius (mm)	Plate size (mm)	Thread size (mm)	NO. Model	Price/Each Rs.
75 (3")	56	70	PU	98	61.5	75.5		M12X25	IV-HM25-02-75-312	
				98					IV-HM25-02D-75-312	
100 (4")	69	90	PU	125	84	88.5		M12X25	IV-HM25-02-100-312	
				125					IV-HM25-02D-100-312	

Code No.			
IV-M.S.BUSH 22Ø X 45L(7/8")		I.D. M12 x 25	M.S. BUSH 22Øx45
IV-M.S.BUSH 28Ø X 45L(1.1/8")		I.D. M12 x 25	M.S. BUSH 28Øx45
IV-NYLON BUSH		I.D. 22X0D28XL45	NYLON BUSH 22X28X45




HI-TECH CASTER WHEELS


• SUPO TROLLEY •



Foldable design



Easy Carry Design
(For 300kg only)




When folded, the non-slip mat on the platform will protect the handle bar from making big noise.



Elastic Rubber, Non-marking.
Protect your floor and easy to pull.

non-slip mat on the platform



- Features: Low-carbon design. Noiseless and comfortable to use. Unique color combination.
- Application: Home or office, Workshops or warehouse. Four ER wheels, Platform, Handle
- Material: PP platform, ER wheels, Steel Handlebar.

Code	 Kg Loading Capacity	 Platform height	 Size of the platform	 Wheel Dia.	 Overall height	 Total Weight	 Kg Starting Force	Wheel Material	Price/Each Rs.
IV-LO1-D-300-5 GER	300kg	193mm	900x590 mm	125mm	880mm	14.5kg	4-4.5kg	ER	11000/-
IV-LO1-D-150-4 GER	150kg	155mm	720x490 mm	100mm	860mm	10.0kg	2-2.8kg	ER	7500/-

Caster Wheel for Platform Trolley


B03L-01-125-511	Swivel plate	970/-
B03L-04-125-511	Fix	870/-
B03L-01-100-511	Swivel plate	800/-
B03L-04-100-511	Fix	690/-

**J30****SUPO®****600-1000kg****J30 Low Height Heavy Duty Caster Wheel**

IV J30-01-100-662



IV J30-04-100-662



Description	Wheel material	Wheel dia (mm)	Tread width (mm)	Load Capacity (kg.) Per Pc.	Load Height (mm)	Bearing	Plate Size (mm)	NO. Model	Price/Each Rs.
Swivel Plate	PA Nylon	Ø63	65	600Kg	103	Double Ball Bearing 6203 ZZ	(A)85x81 (B)110x110x5 (C)85x76 (D)11	IV J30-01-63-662	
Fix								IV J30-04-63-662	
Wheel								IV-30-63x65-662-WH	
Swivel Plate		Ø75	65	700Kg	114	Double Ball Bearing 6204 ZZ	(A)85x81 (B)110x110x5 (C)85x76 (D)11	IV J30-01-75-662	
Fix								IV J30-04-75-662	
Wheel								IV-30-75x65-662-WH	
Swivel Plate		Ø100	70	1000Kg	141	Double Ball Bearing 6204 ZZ	(A)90x85 (B)115x115x5 (C)90x80 (D)11	IV J30-01-100-662	
Fix								IV J30-04-100-662	
Wheel								IV-30-100x70-662-WH	


33 Series

Medical plastic casters-twin wheels


The best application: Medical bed and Medical equipment




↓ Brake system 2 grades central lock



↓ Brake system 3 grades central lock



Central lock installation



MEDICAL BED PLASTIC CASTERS WITH 2 & 3 GRADES CENTRAL LOCK-TWIN WHEELS

Central lock	Wheel Material	NO. Model	Wheel Dia (mm)	Tread Width (mm)	Load Capacity (kg)	Load Height (mm)	Swivel Radius (mm)	Bearing	Grip ring stem dia (mm)	Grip ring stem length (mm)	Price/Each Rs.
	(PU)	1M-HM20-0513-125-312	5"(125)	81	150	144	103	Double Ball Bearing	Φ 28	96	
		1M-HM20-0513-150-312	6"(150)	83	165	175	125				



IV-2A-BA1S-04-50-124 IV-2A-BA1S-01-50-124 IV-2A-BA1S-01E-50-124 IV-2A-BA1S-02-50-124 IV-2A-BA1S-02E-50-124

Wheel Structure
Plain bore bearing PP wheel
Size : 25/38/50 mm

Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading height (mm)	Swivel radius (mm)	Brake swivel radius (mm)	Plate size (mm)	Plate size (mm)	Bearing	No. Model	Price/Each Rs.
25 MM (1")	13	7	POLY PROPYLENE (PP)	35	25	46	(A) 30X24 (B) 38X33 (D) 4.3	(A) 29X13 (B) 36X20	PLAIN BORE	IV-2A-BA1S-04-25-124	
										IV-2A-BA1S-01-25-124	
										IV-2A-BA1S-01E-25-124	
38 MM (1.5")	18	16	POLY PROPYLENE (PP)	50	34	56	(A) 36X28 (B) 46X38 (D) 5.3	(A) 36X15 (B) 46X25	PLAIN BORE	IV-2A-BA1S-04-38-124	
										IV-2A-BA1S-01-38-124	
										IV-2A-BA1S-01E-38-124	
50 MM (2")	22	25	POLY PROPYLENE (PP)	65	48	71	(A) 46X35 (B) 59X47 (D) 6.5	(A) 45X25 (B) 58X40	PLAIN BORE	IV-2A-BA1S-04-50-124	
				66						IV-2A-BA1S-01-50-124	
										IV-2A-BA1S-01E-50-124	
										IV-2A-BA1S-02-50-124	
								Thread M8X20		IV-2A-BA1S-02E-50-124	



IV-2A-BA1S-04-50-214 IV-2A-BA1S-01-50-214 IV-2A-BA1S-01E-50-214 IV-2A-BA1S-02-50-214 IV-2A-BA1S-02E-50-214

Wheel Structure
Plain Bore Bearing
PU wheel
Size: 50mm

Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading height (mm)	Swivel radius (mm)	Brake swivel radius (mm)	Plate size (mm)	Plate size (mm)	Bearing	NO. Model	Price/Each
50MM (2")	22	25	Poly Urethane (PU)	65	48	71	(A) 46X35 (B) 59X47 (D) 6.5	(A) 45X25 (B) 58X40	PLAIN BORE	IV-2A-BA1S-04-50-214	
				66						IV-2A-BA1S-01-50-214	
										IV-2A-BA1S-01E-50-214	
										IV-2A-BA1S-02-50-214	
								Thread M8X20		IV-2A-BA1S-02E-50-214	

PRODUCT	Wheel dia (mm)	Tread width (mm)	Load capacity (kg)	Wheel material	Loading height (mm)	Swivel radius (mm)		Bearing	NO. Model	Price/Each Rs.
IV-2A-BA3-01-75-211	75 (3")	32	90	Polyurethane (PU) Black	105.5	74	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.6 (6002ZZ)	Single Ball Bearing	IV-2A-BA3-04-75-211	
IV-2A-BA3-01-100-211	100 (4")	32	120	Polyurethane (PU) Black	130	86	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.6 (6202Z)		IV-2A-BA3-01-75-211	
IV-2A-BA3-01D-125-211	125 (5")	32	130	Polyurethane (PU) Black	154.5	99	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.6 (6202ZZ)		IV-2A-BA3-01D-75-211	
IV-2A-BA3-02-100-211									IV-2A-BA3-02-75-211	
									IV-2A-BA3-02D-75-211	
									IV-2A-A3-75x32-211-WH	
									IV-2A-BA3-04-100-211	
									IV-2A-BA3-01-100-211	
									IV-2A-BA3-01D-100-211	
									IV-2A-BA3-02-100-211	
									IV-2A-BA3-02D-100-211	
									IV-2A-A3-100x32-211-WH	
								Thread Stem M12x25	IV-2A-BA3-04-125-211	
									IV-2A-BA3-01-125-211	
									IV-2A-BA3-01D-125-211	
									IV-2A-BA3-02-125-211	
									IV-2A-BA3-02D-125-211	
									IV-2A-A3-125x32-211-WH	
PRODUCT	Wheel dia (mm)	Tread width (mm)	Load capacity (kg)	Wheel material	Loading height (mm)	Swivel radius (mm)		Bearing	NO. Model	Price/Each Rs.
IV-2A-BA3-04-75-511	75	32	80	ER (Elastic Rubber) Black	105.5	74	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.6 (6002ZZ)	Single Ball Bearing	IV-2A-BA3-04-75-511	
IV-2A-BA3-01-100-511									IV-2A-BA3-01-75-511	
									IV-2A-BA3-01D-75-511	
									IV-2A-BA3-02-75-511	
									IV-2A-BA3-02D-75-511	
									IV-2A-A3-75x32-511-WH	
IV-2A-BA3-01D-125-511	100	32	100	ER (Elastic Rubber) Black	130	86	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.6 (6202Z)	Thread Stem M12x25	IV-2A-BA3-04-100-511	
IV-2A-BA3-02-100-511									IV-2A-BA3-01-100-511	
									IV-2A-BA3-01D-100-511	
									IV-2A-BA3-02-100-511	
									IV-2A-BA3-02D-100-511	
									IV-2A-A3-100x32-511-WH	
IV-2A-BA3-02D-125-511	125	32	110	ER (Elastic Rubber) Black	154.5	99	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.6 (6202ZZ)		IV-2A-BA3-04-125-511	
									IV-2A-BA3-01-125-511	
									IV-2A-BA3-01D-125-511	
									IV-2A-A3-125x32-511-WH	

PRODUCT	Wheel dia (mm)	Tread width (mm)	Wheel material	Load capacity (kg)	Loading height (mm)	Swivel radius (mm)		Bearing	NO. Model	Price/Each Rs.
 IV-2A-BA5-04-125-122	100 (4")	45	Poly proplene (PP)	280	143	87	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	 Double Ball Bearing (6202ZZ)	IV-2A-BA5-04-100-122	
									IV-2A-BA5-01-100-122	
									IV-2A-BA5-01A-100-122	
									IV-2A-A5-100X45-122-WH	
 IV-2A-BA5-01-150-122	125 (5")	45	Poly proplene (PP)	340	164	105	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	 Double Ball Bearing (6202ZZ)	IV-2A-BA5-04-125-122	
									IV-2A-BA5-01-125-122	
									IV-2A-BA5-01A-125-122	
									IV-2A-A5-125X45-122-WH	
 IV-2A-BA5-01A-200-122	150 (6")	45	Poly proplene (PP)	400	190	121	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	 Double Ball Bearing (6202ZZ)	IV-2A-BA5-04-150-122	
									IV-2A-BA5-01-150-122	
									IV-2A-BA5-01A-150-122	
									IV-2A-A5-150X45-122-WH	
 IV-2A-BA5-01D-200-112	200 (8")	45	Poly proplene (PP)	440	240	160	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	 Double Ball Bearing (6203ZZ)	IV-2A-BA5-04-200-122	
									IV-2A-BA5-01-200-122	
									IV-2A-BA5-01A-200-122	
									IV-2A-A5-200X45-122-WH	
PRODUCT	Wheel dia (mm)	Tread width (mm)	Wheel material	Load capacity (kg)	Loading height (mm)	Swivel radius (mm)		Bearing	NO. Model	Price/Each Rs.
 IV-2A-BA5-04-125-112	100 (4")	45	YUPA Green	280	143	87	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	 Double Ball Bearing (6202ZZ)	IV-2A-BA5-04-100-112	
									IV-2A-BA5-01-100-112	
									IV-2A-BA5-01A-100-112	
									IV-2A-A5-100x45-112-WH	
 IV-2A-BA5-01-150-112	125 (5")	45	YUPA Green	340	164	105	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	 Double Ball Bearing (6202ZZ)	IV-2A-BA5-04-125-112	
									IV-2A-BA5-01-125-112	
									IV-2A-BA5-01A-125-112	
									IV-2A-A5-125x45-112-WH	
 IV-2A-BA5-01D-200-112	150 (6")	45	YUPA Green	400	190	121	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	 Double Ball Bearing (6202ZZ)	IV-2A-BA5-04-150-112	
									IV-2A-BA5-01-150-112	
									IV-2A-BA5-01A-150-112	
									IV-2A-A5-150x45-112-WH	
 IV-2A-BA5-01D-200-112	200 (8")	45	YUPA Green	440	240	160	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	 Double Ball Bearing (6203ZZ)	IV-2A-BA5-04-200-112	
									IV-2A-BA5-01-200-112	
									IV-2A-BA5-01A-200-112	
									IV-2A-A5-200x45-112-WH	

PRODUCT	Wheel dia	Tread width	Load capacity	Wheel material	Loading height	Swivel radius	Dimensions	Bearing	NO. Model	Price/Each Rs.
IV-2A-BA3-04- 75 -531 IV-2A-BA3-01- 100 -531 IV-2A-BA3-01D- 125 -531	75 (3")	32	80	ER (Elastic Rubber) Blue	105.5	74	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.6 (6002ZZ)	Single Ball Bearing	IV-2A-BA3-04-75-531	
									IV-2A-BA3-01-75-531	
									IV-2A-BA3-01D-75-531	
IV-2A-BA3-02- 100 -531 IV-2A-BA3-02D- 125 -531	100 (4")	32	100	ER (Elastic Rubber) Blue	130	86	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.6 (6202ZZ)	Thread Stem M12x25	IV-2A-BA3-02-75-531	
									IV-2A-BA3-02D-75-531	
									IV-2A-A3-75x32-531-WH	
									IV-2A-BA3-04-100-531	
									IV-2A-BA3-01-100-531	
									IV-2A-BA3-01D-100-531	
									IV-2A-BA3-02-100-531	
									IV-2A-BA3-02D-100-531	
									IV-2A-A3-100x32-531-WH	



IV-Z103-FX-75-PP-M



IV-Z103-PL-100-PP-M




IV-Z103-PK-125-PP-M



IV-Z103-TH-50-PP-M



IV-Z103-TK-50-PP-M

 Wheel dia (mm)	 Wheel material	 Tread width (mm)	 Load capacity (kg.) Per Pc.	 Loading height (mm)	Bearing	 Plate size (mm)	NO. Model	Price/Each Rs.
40	PP Milk White	20	40 Kg	60	 Double Ball Bearing	(A) 46x30 (B) 60x43 (C) 42x30 (D) 6.5	IV-Z103-FX40-PP-M	
							IV-Z103-PL40-PP-M	
							IV-Z103-PK40-PP-M	
							IV-103-WH40x20-PP-M	
50	PP Milk White	26	50 Kg	71	 Double Ball Bearing	(A) 55x35 (B) 70x50 (C) 49x35 (D) 8.5	IV-Z103-FX50-PP-M	
						M10x25	IV-Z103-PL50-PP-M	
							IV-Z103-PK50-PP-M	
							IV-Z103-TH50-PP-M	
							IV-Z103-TK50-PP-M	
						IV-103-WH50x26-PP-M		
63	PP Milk White	32	60 Kg	90	 Double Ball Bearing	(A) 78x45 (B) 92x62 (C) 71x45 (D) 8.5	IV-Z103-FX-65-PP-M	
							IV-Z103-PL-65-PP-M	
							IV-Z103-PK-65-PP-M	
							IV-Z103-TH-65-PP-M	
							IV-Z103-TK-65-PP-M	
						IV-103-WH-65 X 32-PP-M		
75	PP Milk White	32	70 kg	105	 Double Ball Bearing	(A) 78x45 (B) 92x62 (C) 71x45 (D) 8.5	IV-Z103-FX-75-PP-M	
						M12x25	IV-Z103-PL-75-PP-M	
							IV-Z103-PK-75-PP-M	
							IV-Z103-TH-75-PP-M	
							IV-Z103-TK-75-PP-M	
						IV -103-WH-75 X 32-PP-M		
100	PP Milk White	32	80 kg	130	 Double Ball Bearing	(A) 78x45 (B) 92x62 (C) 71x45 (D) 8.5	IV-Z103-FX-100-PP-M	
						M12x25	IV-Z103-PL-100-PP-M	
							IV-Z103-PK-100-PP-M	
							IV-Z103-TH-100-PP-M	
							IV-Z103-TK-100-PP-M	
						IV -103-WH-100 X 32-PP-M		
125	PP Milk White	32	100kg	155	 Double Ball Bearing	(A) 78x45 (B) 92x62 (C) 71x45 (D) 8.5	IV-Z103-FX-125-PP-M	
						M12x25	IV-Z103-PL-125-PP-M	
							IV-Z103-PK-125-PP-M	
							IV-Z103-TH-125-PP-M	
							IV-Z103-TK-125-PP-M	
						IV -103-WH-125 X 32-PP-M		




IV-B203-FX75-PP-O



IV-B203-PL100-PP-O



IV-B203-PK125-PP-O

 Wheel dia (mm)	 Wheel material	 Tread width (mm)	 Load capacity (kg.) Per Pc.	 Loading height (mm)	Bearing	 Plate size (mm)	NO. Model	Price/Each Rs.
40	PP Orange	20	40 Kg	60	 Double Ball Bearing	(A) 46x30 (B) 60x43 (C) 42x30 (D) 6.5	IV-B203-FX40-PP-O	
							IV-B203-PL40-PP-O	
							IV-B203-PK40-PP-O	
							IV-B203-WH-40X20-PP-O	
50	PP Orange	26	50 Kg	71	 Double Ball Bearing	(A) 55x35 (B) 70x50 (C) 49x35 (D) 8.5	IV-B203-FX50-PP-O	
						M10x25	IV-B203-PL50-PP-O	
							IV-B203-PK50-PP-O	
							IV-B203-TH50-PP-O	
							IV-B203-TK50-PP-O	
						IV-B203-WH-50X26-PP-O		
63	PP Orange	32	60 Kg	90	 Double Ball Bearing	(A) 78x45 (B) 92x62 (C) 71x45 (D) 8.5	IV-B203-FX65-PP-O	
							IV-B203-PL65-PP-O	
							IV-B203-PK65-PP-O	
							IV-B203-TH65-PP-O	
							IV-B203-TK65-PP-O	
						IV-B203-WH-65X32-PP-O		
75	PP Orange	32	70 kg	105	 Double Ball Bearing	(A) 78x45 (B) 92x62 (C) 71x45 (D) 8.5	IV-B203-FX75-PP-O	
						M12x25	IV-B203-PL75-PP-O	
							IV-B203-PK75-PP-O	
							IV-B203-TH75-PP-O	
							IV-B203-TK75-PP-O	
						IV-B203-WH-75X32-PP-O		
100	PP Orange	32	80 kg	130	 Double Ball Bearing	(A) 78x45 (B) 92x62 (C) 71x45 (D) 8.5	IV-B203-FX100-PP-O	
						M12x25	IV-B203-PL100-PP-O	
							IV-B203-PK100-PP-O	
							IV-B203-TH100-PP-O	
							IV-B203-TK100-PP-O	
						IV-B203-WH-100X32-PP-O		
125	PP Orange	32	100kg	155	 Double Ball Bearing	(A) 78x45 (B) 92x62 (C) 71x45 (D) 8.5	IV-B203-FX125-PP-O	
						M12x25	IV-B203-PL125-PP-O	
							IV-B203-PK125-PP-O	
							IV-B203-TH125-PP-O	
							IV-B203-TK125-PP-O	
						IV-B203-WH-125X32-PP-O		

Product	Wheel dia (mm)	Wheel material	Tread width (mm)	Load capacity (kg.) Per Pc.	Loading height (mm)	Bearing	Plate size (mm)	NO. Model	Price/Each Rs.
 IV-Z103-FX-75-PVC-R	75 (3")	PVC Red	32	70	105	Single Ball Bearing	(A) 78x45 (B) 92x62 (C) 71x45 (D) 8.5	IV-Z103-FX-75-PVC-R	
					108		Thread Stem M12X25	IV-Z103-PL-75-PVC-R	
								IV-Z103-PK-75-PVC-R	
 IV-Z103-PL-100-PVC-R	100 (4")	PVC Red	32	80	130	Single Ball Bearing	(A) 78x45 (B) 92x62 (C) 71x45 (D) 8.5	IV-Z103-FX-100-PVC-R	
					132		Thread Stem M12X25	IV-Z103-PL-100-PVC-R	
								IV-Z103-PK-100-PVC-R	
 IV-Z103-PK-125-PVC-R	125 (5")	PVC Red	32	100	155	Single Ball Bearing	(A) 78x45 (B) 92x62 (C) 71x45 (D) 8.5	IV-Z103-FX-125-PVC-R	
					158		Thread Stem M12X25	IV-Z103-PL-125-PVC-R	
								IV-Z103-PK-125-PVC-R	
 IV-Z103-TH-100-PVC-R								IV-Z103-TH-100-PVC-R	
								IV-Z103-TK-100-PVC-R	
								IV-Z103-WH-100-PVC-R	
 IV-Z103-TH-125-PVC-R								IV-Z103-TH-125-PVC-R	
								IV-Z103-TK-125-PVC-R	
								IV-Z103-WH-125-PVC-R	

	Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Loading height (mm)	Wheel material	Bearing	Plate size mm	NO. Model	Price/Each Rs.
 IV-Z101-FX30-TPR-G	25	15	12	35	TPR	Plain Bore	40x20	IV-Z101-FX25-TPR-G	
	30	15	18	37	TPR		46x20	IV-Z101-FX30-TPR-G	
	38	17	25	47	TPR		57x25	IV-Z101-FX40-TPR-G	
 IV-Z101-PL30-TPR-G	25	15	12	35	TPR	Plain Bore	A) 36x22 B) 47x34 C) 5.5	IV-Z101-PL25-TPR-G	
	30	15	18	37	TPR		A) 36x22 B) 47x34 C) 5.5	IV-Z101-PL30-TPR-G	
	38	17	25	47	TPR		A) 41x27 B) 54x38 C) 6.3	IV-Z101-PL40-TPR-G	



New

IV Z103 / Z303 Series - TPR



80-120 kg



IV-Z103-TH-75-TPR-G



IV-Z103-TK-100-TPR-G



IV-Z103-ST-100-TPR-G



IV-Z103-SK-125-TPR-G

	Wheel dia (mm)	Wheel material	Tread width (mm)	Load capacity (kg.) Per Pc.	Loading height (mm)	Bearing	Plate size (mm)	NO. Model	Price/Each Rs.
IV Z103-FX 75-TPR G	75	TPR Grey	32	90 Kg	105	Single Ball Bearing	(A) 78x45 (B) 95x65 (C) 71x45 (D) 8.5	IV-Z103-FX-75-TPR-G	
							M12x25	IV-Z103-PL-75-TPR-G	
								IV-Z103-PK-75-TPR-G	
								IV-Z103-TH-75-TPR-G	
								IV-Z103-TK-75-TPR-G	
								IV-103-WH-75-TPR-G	
IV Z103-PL 75-TPR G	100	TPR Grey	32	100 Kg	130	Single Ball Bearing	(A) 78x45 (B) 95x65 (C) 71x45 (D) 8.5	IV-Z103-FX-100-TPR-G	
							22 Ø x 45	IV-Z103-PL-100-TPR-G	
								IV-Z103-PK-100-TPR-G	
								IV-Z103-TH-100-TPR-G	
								IV-Z103-TK-100-TPR-G	
								IV-Z103-ST-100-TPR-G	
IV Z103-PK 75-TPR G	125	TPR Grey	32	110 kg	155	Single Ball Bearing	(A) 78x45 (B) 95x65 (C) 71x45 (D) 8.5	IV-Z103-FX-125-TPR-G	
							M12x125 22 Ø x 45 22 Ø x 45	IV-Z103-PL-125-TPR-G	
								IV-Z103-PK-125-TPR-G	
								IV-Z103-TH-125-TPR-G	
								IV-Z103-TK-125-TPR-G	
								IV-Z103-ST-125-TPR-G	
IV-Z303-FX-75-TPR-BLUE IV-Z303-PL-100-TPR-BLUE IV-Z303-PK-100-TPR-BLUE	75	TPR Blue	32	80kg	105	Single Ball Bearing	(A) 78x45 (B) 94x65 (C) 71x45 (D) 8.5	IV-Z303-FX75-TPR-BLUE	
							M12x25	IV-Z303-PL75-TPR-BLUE	
								IV-Z303-PK75-TPR-BLUE	
								IV-Z303-TH75-TPR-BLUE	
								IV-Z303-TK75-TPR-BLUE	
								IV-Z303-WH75X32-TPR-BLUE	
	100	TPR Blue	32	100 kg	130	Single Ball Bearing	(A) 78x45 (B) 94x65 (C) 71x45 (D) 8.5	IV-Z303-FX100-TPR-BLUE	
							M12x25	IV-Z303-PL100-TPR-BLUE	
								IV-Z303-PK100-TPR-BLUE	
								IV-Z303-TH100-TPR-BLUE	
								IV-Z303-TK100-TPR-BLUE	
								IV-Z303-WH100X32-TPR-BLUE	
	125	TPR Blue	32	110kg	155	Single Ball Bearing	(A) 78x45 (B) 94x65 (C) 71x45 (D) 8.5	IV-Z303-FX125-TPR-BLUE	
							M12x25	IV-Z303-PL125-TPR-BLUE	
								IV-Z303-PK125-TPR-BLUE	
								IV-Z303-TH125-TPR-BLUE	
								IV-Z303-TK125-TPR-BLUE	
								IV-Z303-WH125X32-TPR-BLUE	

Images	 Wheel dia (mm)	 Wheel material	 Tread width (mm)	 Load capacity (kg.) Per Pc.	 Loading height (mm)	 Plate size (mm)	NO. Model	Price/Each COLOR - RED	
 IV-B303-FX75-PU-R	75	PU RED  Single Ball Bearing	32	90 kg	105	(A) 78x45 (B) 92x62 (C) 71x45 (D) 8.5	IV-B303-FX-75-PU-R		
						IV-B303-PL-75-PU-R			
						IV-B303-PK-75-PU-R			
						M12X25	IV-B303-TH-75-PU-R		
							IV-B303-TK-75-PU-R		
						IV-B303-WH-75x32-PU-R			
 IV-B303-PL75-PU-R	100	PU RED  Single Ball Bearing	32	110 kg	130	(A) 78x45 (B) 92x62 (C) 71x45 (D) 8.5	IV-B303-FX-100-PU-R		
						IV-B303-PL-100-PU-R			
						IV-B303-PK-100-PU-R			
						M12X25	IV-B303-TH-100-PU-R		
							IV-B303-TK-100-PU-R		
						IV-B303-WH-100X32-PU-R			
 IV-B303-PK75-PU-R	125	PU RED  Single Ball Bearing	32	130 kg	157	(A) 78x45 (B) 92x62 (C) 71x45 (D) 8.5	IV-B303-FX-125-PU-R		
						IV-B303-PL-125-PU-R			
						IV-B303-PK-125-PU-R			
						M12X25	IV-B303-TH-125-PU-R		
							IV-B303-TK-125-PU-R		
						IV-B303-WH-125x32-PU-R			
 IV-B303-HO100-PU-R  IV-B303-HK125-PU-R	75	PU Red  Single Ball Bearing	32	90 kg	105	HO:130	IV-B103-HO-75-PU-R		
							IV-B103-HK-75-PU-R		
							IV-B103-WH-75x32-PU-R		
	100		32	110 kg	130	HO:130	IV-B103-HO-100-PU-R		
							IV-B103-HK-100-PU-R		
							IV-B103-WH-100x32-PU-R		
	125		32	130 kg	157	HO:130	IV-B103-HO-125-PU-R		
							IV-B103-HK-125-PU-R		
							IV-B103-WH-125x32-PU-R		

	Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading height (mm)	Plate size (mm)	Bearing	NO. Model	Price/Each Rs.
 IV-C108HO32-TPR-G IV-C108HK32-TPR-G	25 (1")	12	10	TPR	37	HO 50	Single Ball Bearing	IV-C108-HO-25-TPR-B	
								IV-C108-HK-25-TPR-B	
	32	17	15	TPR	44	HO 50	Single Ball Bearing	IV-C108-HO-32-TPR-B	
								IV-C108-HK-32-TPR-B	
	38		20	TPR	52	HO 60	Single Ball Bearing	IV-C108-HO-38-TPR-B	
								IV-C108-HK-38-TPR-B	
 IV-C108-FX-25-TPR-G IV-C108-PL-32-TPR-G IV-C108-PK-38-TPR-G IV-C108-TK-50-TPR-G	25 (1")	13	10	TPR	38	A. 29X21 B. 38X30 C. 4.20	Single Ball Bearing	IV-C108-FX-25-TPR-BR	
								IV-C108-PL-25-TPR-BR	
								IV-C108-PK-25-TPR-BR	
	32 (1 1/4")	13	15	TPR	43	A. 24X30 B. 39X33 C. 4.20	Single Ball Bearing	IV-C108-FX-32-TPR-BR	
								IV-C108-PL-32-TPR-BR	
								IV-C108-PK-32-TPR-BR	
	38 (1 1/2")	17	20	TPR	53	A. 36X28 B. 46X40 C. 5.20	Single Ball Bearing	IV-C108-FX-38-TPR-BR	
								IV-C108-PL-38-TPR-BR	
								IV-C108-PK-38-TPR-BR	
	50 (2")	18	25	TPR	64	A. 46X35 B. 46X40 C. 6.50	Single Ball Bearing	IV-C108-FX-50-TPR-BR	
								IV-C108-PL-50-TPR-BR	
								IV-C108-PK-50-TPR-BR	
 IV-C108-L-PL-32-TPR-BR IV-C108-L-PK-32-TPR-BR IV-C108-L-PL-50-TPR-BR IV-C108-L-PK-50-TPR-BR	32	13	15	TPR	43	Plate size 40x20 Hole Distance 32 L Plate 32x24 4.2 Ø	Single Ball Bearing	IV-C108-L-PL-32-TPR-BR	
								IV-C108-L-PK-32-TPR-BR	
	50	18	20	TPR	66	Plate size 54x30 Hole Distance 42 L Plate 42x34 5Ø	Single Ball Bearing	IV-C108-L-PL-50-TPR-BR	
								IV-C108-L-PK-50-TPR-BR	



Z101 & C108-TPR - IV33



8kg-20kg

	Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Loading height (mm)	Wheel material	Bearing	Plate size mm	NO. Model	Price/Each Rs.
 IV-Z101-FX25-TPR-B	25	12	8	31	TPR	Plain Bore	42x20	IV-Z101-FX25-TPR-B	
	32	12	12	39	TPR		53x20	IV-Z101-FX32-TPR-B	
	38	16	15	46	TPR		68x25	IV-Z101-FX38-TPR-B	
	50	17	20	52	TPR		68x25	IV-Z101-FX50-TPR-B	



IV-C108/IV33 TWIN-TPR-BROWN CASTER



60-150kg


 IV-C108-TWPL-38-TPR	38	17	60	62	TPR BROWN	 Double Ball Bearing	A. 52x35 B. 72x51 C. 8.4	IV-C108-TWPL-38-TPR-BR IV-C108-TWPK-38-TPR-BR	
	50	18	80	73	TPR BROWN		A. 52x35 B. 72x51 C. 8.4	IV-C108-TWPL-50-TPR-BR IV-C108-TWPK-50-TPR-BR	




IV33-TW-PL75-TPR-G



IV33-TW-PK75-TPR-G



Wheel dia(mm)	Wheel material	Tread width (mm)	Load Capacity (kg.) Per Pc.	Load Height (mm)	Bearing	Plate Size (mm)	NO. Model	Price/Each Rs.
50(2")	Thermoplastic Rubber Grey (TPR)	20	70	71	 Double Ball Bearing	(A) 43x43	IV33-TW-PL50-TPR-G	
						(B) 60X60 (D) 6.3	IV33-TW-PK50-TPR-G	
75(3")	Thermoplastic Rubber Grey (TPR)	25	150	103	 Double Ball Bearing	(A) 50x50	IV33-TW-PL75-TPR-G	
						(B) 65x65 (D) 6.8	IV33-TW-PK75-TPR-G	

Images	Wheel Ø mm	Tread width mm	Load Capacity Kg	Wheel Material	Loading height (mm)	 Plate size (mm)	Bearing	Code	Price/ each
	15	10	5Kg	PP	23mm	A. 20x22 B. 27x28 C. 3.2mm	Plain Bearing	IV-Z101-PL15-PP-O	
	40 (1.5")		30	Thermoplastic Rubber (TPR)	52	38x38	27x27	IV-BC-PL40-TPR	
	50 (2")		40	Thermoplastic Rubber (TPR)	60	40x40	30x30	IV-BC-PL50-TPR	
	32	13	300 Kg	TPR	36		Single Ball Bearing	IV-BR-100-FR-6-TPR (6 Wheel)	
	32	13	200 kg	TPR	38		Delrin bearing	IV-C-100-FX6-TPR (6 Wheel)	
	25	25	200 Kg	PP	30		Double Ball Bearing	IV-BR-100-FR-2-NY	

Air port cargo table caster wheel with Flange

	 Wheel dia (mm)	 Tread width (mm)	 Load capacity (kg.) Per Pc.	 Wheel material	 Loading height (mm)	 Swivel radius (mm)	 Plate size (mm)	NO. Model
	58	40	150 kg		95 mm	60		IV-Z203-PL70-NY

NON-STOCK ITEM



IV TW (Chair Wheel)

PRODUCT	Wheel material	Wheel dia (mm)	Load capacity (kg.) Per Pc.	Thread size (mm) Stem size (mm)	NO. Model	Price/Each Rs.
 TH ST	Nylon	50 (2")	25	3/8" BSW x 15	IV-TW-TH50-NY-B	
				Ø 11x22	IV-TW-ST50-NY-B	
 TH ST	Nylon + Polyurethane	50 (2")	40	3/8" BSW x 15	IV-TW-TH 50-PU-G	
				Ø 11x22	IV-TW-ST 50-PU-G	
 PK-PU	Nylon	50 (2")	30	Plate Size (38 x 38)	IV-TW-R-PL/PK 50-NY-B Available in set only (2+2)	
	Nylon + Polyurethane		40		IV-TW-R-PL/PK 50-PU-G Available in set only (2+2)	
 TK-NY TH-PU	Nylon	50 (2")	30	3/8" BSW x 18	IV-TW-R-TH/TK 50-NY-B Available in set only (2+2)	
	Nylon + Polyurethane		40		IV-TW-R-TH/TK 50-PU-G Available in set only (2+2)	
	Nylon	50 (2")	25 Kg	3/8" BSW x 18	IV-TW-TH50-NY-W	
					IV-TW-TK50-NY-W	

Product	Wheel dia (mm)	Wheel material	Tread width (mm)	Load capacity (kg.) Per Pc.	Loading height (mm)	Bearing	Plate size (mm)	NO. Model	Price/Each Rs.
 IV42-SS-PL-75X32-PU-R	75 (3")	PU RED	32	80	105	Single Ball Bearing	(A) 55X55 (B) 75X75 (D) 9	IV42-SS-FX-75X32-PU-R	
								IV42-SS-PL-75X32-PU-R	
								IV42-SS-PK-75X32-PU-R	
								IV42-WH-75X32-PU-R	
 IV42-SS-PK-100X32-PU-R	100 (4")	PU RED	32	100	130	Single Ball Bearing	(A) 55X55 (B) 75X75 (D) 9	IV42-SS-FX-100X32-PU-R	
								IV42-SS-PL-100X32-PU-R	
								IV42-SS-PK-100X32-PU-R	
								IV42-WH-100X32-PU-R	
 IV43-SS-FX-75X32-PU-R  IV43-SS-PL-75X32-PU-R  IV43-SS-PK-125X32-PU-R	50 (2")	PU RED	25	30	71	Single Ball Bearing	(A) 52X35 (B) 71X51	IV43-SS-FX-50X25-PU-R	
								IV43-SS-PL-50X25-PU-R	
								IV43-SS-PK-50X25-PU-R	
								IV43-WH-50X25-PU-R	
	75 (3")	PU RED	32	80	105	Single Ball Bearing	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.5	IV43-SS-FX-75 X 32-PU-R	
								IV43-SS-PL-75 X 32-PU-R	
								IV43-SS-PK-75 X 32-PU-R	
								IV43-WH-75X32-PU-R	
	100 (4")	PU RED	32	100	130	Single Ball Bearing	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.5	IV43-SS-FX-100 X 32-PU-R	
								IV43-SS-PL-100 X 32-PU-R	
								IV43-SS-PK-100 X 32-PU-R	
								IV43-WH-100X32-PU-R	
	125 (5")	PU RED	32	110	158	Single Ball Bearing	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.5	IV43-SS-FX-125 X 32-PU-R	
								IV43-SS-PL-125 X 32-PU-R	
								IV43-SS-PK-125 X 32-PU-R	
								IV43-WH-125X32-PU-R	

Images	Wheel dia (mm)	Wheel material	Tread width (mm)	Load capacity (kg.) Per Pc.	Loading height (mm)	Bearing	Plate size (mm)	NO. Model	Price Rs. PVC
 IV-B103- PL 40-PVC-B	40	PVC Black	20	35	60	Double Ball Bearing	(A) 45X27 (B) 60X43 (D) 6.5	IV-B103-FX40-PVC-B	
 IV-B103- PL 40-PVC-B							M10X25	IV-B103-PL40-PVC-B	
 IV-B103- PK 40-PVC-B								IV-B103-PK40-PVC-B	
 IV-B103- TH 40-PVC-B								IV-B103-TH40-PVC-B	
 IV-B103- TK 40-PVC-B								IV-B103-TK40-PVC-B	
 IV-B103- WH 40-PVC-B	50	PVC Black	25	40	71	Double Ball Bearing	(A) 53X35 (B) 70X51 (D) 8.5	IV-B103-FX50-PVC-B	
 IV-B103- PL 50-PVC-B							M10X25	IV-B103-PL50-PVC-B	
 IV-B103- PK 50-PVC-B								IV-B103-PK50-PVC-B	
 IV-B103- TH 50-PVC-B								IV-B103-TH50-PVC-B	
 IV-B103- TK 50-PVC-B								IV-B103-TK50-PVC-B	
 IV-B103- WH 50-PVC-B								IV-B103-WH50-PVC-B	

Images	Wheel dia (mm)	Wheel material	Tread width (mm)	Load capacity (kg.) Per Pc.	Loading height (mm)	Bearing	Plate size (mm)	NO. Model	Price/Each Rs.
 IV40- PL -50-R-G	50 (2")	Grey PVC Hub: PP	18	50 kg	72	Plain Bearing	A. 36X36 B. 50X50X1.5	IV40-FX-50-PVC	
 IV40- PL -50-R-G								IV40-PL-50-PVC	
 IV40- PL -50-R-G								IV40-PK-50-PVC	
 IV40- TH -50-R-G							M10X25	IV40-TH-50-PVC	
 IV40- TK -50-R-G								IV40-TK-50-PVC	
 IV40- WH -50-R-G	75 (3")	Grey PVC Hub: PP	23	70 kg	102	Plain Bearing	A. 49X49 B. 65X65X2	IV40-WH-50-PVC	
 IV40- FX -75-R-G								IV40-FX-75-PVC	
 IV40- PL -75-R-G								IV40-PL-75-PVC	
 IV40- PK -75-R-G							M12X30	IV40-PK-75-PVC	
 IV40- TH -75-R-G								IV40-TH-75-PVC	
 IV40- TK -75-R-G								IV40-TK-75-PVC	
 IV40- WH -75-R-G								IV40-WH-75-PVC	

PRODUCT	Wheel material	NO. Model	Price/Each Rs.
 Glass Caster Wheel	Glass Caster Wheel	IV15-TH-38-PU-R (M10x70)	



IV-B101-FX75PP- W



IV-B101-PL75PP- W



IV-B101-PK75PP- W



IV-B101-TH75PP- W



IV-B101-TK75-PP- W



Wheel Structure
Plain bore bearing
PP wheel
Size : 63/75 mm

Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading hight (mm)	Swivel radius (mm)	Brake swivel radius (mm)	Plate size (mm)	Plate size (mm)	No. Model	Price/Each Rs.
63 MM (2.5")	28	34	POLY PROPYLENE (PP)	82	61	83	(A) 55X42 (B) 70X58 (D) 8.5	(A) 55X26 (B) 70X47	IV-B101-PL63-PP-W	
									IV-B101-PK63-PP-W	
75 MM (3")	28	45	POLY PROPYLENE (PP)	93	66	87	(A) 55X42 (B) 70X58 (D) 8.5	(A) 55X28 (B) 70X47	IV-B101-FX75-PP-W	
				94.50				Thread M12x25	IV-B101-PL75-PP-W	
									IV-B101-PK75-PP-W	
									IV-B101-TH75-PP-W	
									IV-B101-TK75-PP-W	



IV-B101-FX75-PU-B



IV-B101-PL75-PU-B



IV-B101-PK75-PU-B



IV-B101-TK75-PU-B



Wheel Structure
Plain bore bearing
PU wheel
Size : 63/75mm

Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading hight (mm)	Swivel radius (mm)	Brake swivel radius (mm)	Plate size (mm)	Plate size (mm)	NO. Model	Price/Each Rs.
63 MM (2.5")	28	30	Poly Urethane (PU)	82	61	83	(A) 55X42 (B) 70X58 (D) 8.5	(A) 55X28 (B) 70X47	IV-B101-FX63-PU-B	
				83.50				Thread M12X25	IV-B101-PL63-PU-B	
									IV-B101-PK63-PU-B	
									IV-B101-TH63-PU-B	
									IV-B101-TK63-PU-B	
75 MM (3")	28	40	Poly Urethane (PU)	93	66	87	(A) 55X42 (B) 70X58 (D) 8.5	(A) 55X28 (B) 70X47	IV-B101-FX75-PU-B	
				94.50				Thread M12x25	IV-B101-PL75-PU-B	
									IV-B101-PK75-PU-B	
									IV-B101-TH75-PU-B	
									IV-B101-TK75-PU-B	



IV-B101-PL-75-HR-BLACK



IV-B101-PK-75-HR-BLACK



IV-B101-TH-75-HR-BLACK



IV-B101-TK-75-HR-BLACK

Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading hight (mm)	Swivel radius (mm)	Brake swivel radius (mm)	Plate size (mm)	Plate size (mm)	No. Model	Price/Each Rs.
75 MM (3")	28	45	HARD RUBBER	93	66	87	(A) 55X42 (B) 70X58 (D) 8.5	(A) 55X28 (B) 70X47	IV-B101-PL-75-HR-BLACK	
				94.50				Thread M12X25	IV-B101-PK-75-HR-BLACK	
									IV-B101-TH-75-HR-BLACK	
									IV-B101-TK-75-HR-BLACK	

New



IV-B111-FX50-PP-B



IV-B111-PL65-PP-B



IV-B111-PK75-PP-B

Wheel dia (mm)	Wheel material	Tread width (mm)	Load capacity (kg.) Per Pc.	Loading height (mm)	Bearing	Plate size (mm)	NO. Model	Price/Each Rs.
50	PP	30	150 Kg	78	Double Ball Bearing	(A) 55x38 (B) 72x53 (C) 6x8	IV-B111-FX50-PP-B	
							IV-B111-PL50-PP-B	
							IV-B111-PK50-PP-B	
65	PP	40	200 Kg	96	Double Ball Bearing	(A) 72x43 (B) 95x68 (C) 9x11	IV-B111-FX65-PP-B	
							IV-B111-PL65-PP-B	
							IV-B111-PK65-PP-B	
75	PP	45	250 Kg	105	Double Ball Bearing	(A) 83x60 (B) 105x80 (C) 9x11	IV-B111-FX75-PP-B	
							IV-B111-PL75-PP-B	
							IV-B111-PK75-PP-B	

New	Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Loading height (mm)	Wheel material	Swivel radius (mm)	Bearing	Plate size (mm)	NO. Model	Price/Each Rs.
	50	45	200	79	Nylon	55	Double Ball Bearing	(A)68X68 (B)90X90 (C)71X71 (D)11	IV-B222-PL-50-NY	
	75	50	300	105	Nylon	68	Double Ball Bearing		IV-B222-PK-75-NY	
									IV-B222-PL-75-NY	
									IV-B222-PK-75-NY	
	75	50	1000	110	NY	62	Double Ball Bearing	A. 86x60 B.110x89x6 C. 10	IV-J301-PL75-MC-NYLON	
									IV-J301-PK75-MC-NYLON	




IV77-FX-75-PP-M



IV77-PL-100-PP-M



IV77-PK-150-PP-M



Wheel Dia (mm)	Tread Width (mm)	Load Capacity (kg.) Per Pc.	Wheel Material	Loading Hight (mm)	Bearing	Plate size (mm)	NO. Model	Price/Each Rs.
75 (3")	38	150	Polypropylene (PP)	110	Double Ball Bearing	(A) 80x60 (B) 100x80 (C) 73x53 (D) 11	IV77-FX-75-PP-M	
							IV77-PL-75-PP-M	
							IV77-PK-75-PP-M	
							IV77-WH-75-PP-M	
100 (4")	38	180	Polypropylene (PP)	136	Double Ball Bearing	(A) 80x60 (B) 100x80 (C) 73x53 (D) 11	IV77-FX-100-PP-M	
							IV77-PL-100-PP-M	
							IV77-PK-100-PP-M	
							IV77-WH-100-PP-M	
125 (5")	38	200	Polypropylene (PP)	163	Double Ball Bearing	(A) 88X75 (B) 112X100 (C) 81X68 (D) 11	IV77-FX-125-PP-M	
							IV77-PL-125-PP-M	
							IV77-PK-125-PP-M	
							IV77-WH-125-PP-M	
150 (6")	38	230	Polypropylene (PP)	190	Double Ball Bearing	(A) 88X75 (B) 112X100 (C) 81X68 (D) 11	IV77-FX-150-PP-M	
							IV77-PL-150-PP-M	
							IV77-PK-150-PP-M	
							IV77-WH-150-PP-M	




IV77-FX-75-TPE-O



IV77-PL-100-TPE-O



IV77-PK-125-TPE-O



Wheel Dia (mm)	Tread Width (mm)	Load Capacity (kg.) Per Pc.	Wheel Material	Loading Hight (mm)	Bearing	Plate size (mm)	NO. Model	Price/Each Rs.
75 (3")	38	150	PU Orange	110	DoubleBall Bearing	(A)80x60 (B)100x80 (C)73x53 (D)11Ø	IV77-FX-75-TPE-O	
							IV77-PL-75-TPE-O	
							IV77-PK-75-TPE-O	
							IV77-WH-75-TPE-O	
100 (4")	38	180	PU Orange	136	DoubleBall Bearing	(A)80x60 (B)100x80 (C)73x53 (D)11Ø	IV77-FX-100-TPE-O	
							IV77-PL-100-TPE-O	
							IV77-PK-100-TPE-O	
							IV77-WH-100-TPE-O	
125 (5")	38	200	PU Orange	163	Double Ball Bearing	(A) 88X75 (B) 112X100 (C) 81X68 (D) 11	IV77-FX-125-TPE-O	
							IV77-PL-125-TPE-O	
							IV77-PK-125-TPE-O	
							IV77-WH-125-TPE-O	
150 (6")	38	230	PU Orange	190	DoubleBall Bearing	(A)88x75 (B)112x100 (C)81x68 (D)11Ø	IV77-FX-150-TPE-O	
							IV77-PL-150-TPE-O	
							IV77-PK-150-TPE-O	
							IV77-WH-150-TPE-O	



IV78-79 & 80 Series

Scaffolding



130-300kg

Images	Wheel dia (mm)	Wheel material	Tread width (mm)	Load capacity (kg.) Per Pc.	Loading height (mm)	Bearing		NO. Model	Price/Each Rs.
 IV78-SF-ST-150-C.I.+R  IV78-SF-SK-150-C.I.+R	150	C.I + Rubber	50	150Kg	192	Roller Bearing	OD: 59 ID : 54 L : 100	IV78-SF-ST-150-C.I.+R	
	150		50	150Kg	192			IV78-SF-SK-150-C.I.+R	
	200		50	230Kg	237			IV78-SF-ST-200-C.I.+R	
	200		50	230Kg	237			IV78-SF-SK-200-C.I.+R	
 IV79-SF-ST-160R  IV79-SF-SK-160R	160	Rubber Wheel	39	130Kg	190	Roller Bearing	OD: 59 ID : 54 L : 100	IV79-SF-ST-160R	
	160		39	130Kg	190			IV79-SF-SK-160R	
	200		44	150Kg	230			IV79-SF-ST-200R	
	200		44	150Kg	230			IV79-SF-SK-200R	
 IV80-SF-ST-150-PP-M  IV80-SF-SK-200-PP-M	150	Poly Proplene	50	250 Kg	192	Double Ball Bearing	OD: 59 ID : 54 L : 100	IV80-SF-ST-150-PP-M	
	150		50	250 Kg	192			IV80-SF-SK-150-PP-M	
	200		50	300 Kg	237			IV80-SF-ST-200-PP-M	
	200		50	300 Kg	237			IV80-SF-SK-200-PP-M	




IV31-FX-80-R



IV31-PL-100-R



IV31-PK-200-R



Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading height (mm)	Swivel radius (mm)	Brake swivel radius (mm)	Plate size (mm)	Bearing Roller Bearing	NO. Model	Price/Each Rs.
75 (3")	25	50	Natural Rubber	97	25	117	(A) 62x52 (B) 84X72X2 (C) 63	Roller Bearing 	IV31- FX - 75 - R	
									Iv31- PL - 75 - R	
									Iv31- PK - 75 - R	
									IV31-WH - 75 - R	
									IV31- FX-100-R	
									IV31- PL-100-R	
									IV31- PK - 100-R	
									IV31- ST - 100-R	
									IV31- SK - 100-R	
									IV31-WH-100-R	
100 (4")	30	80	Natural Rubber	128	33	119	(A) 80X60 (B) 100X85X3 (C) 77X55 (D) 9	Roller Bearing 	IV31- FX - 125-R	
									IV31- PL - 125-R	
									IV31- PK - 125-R	
									IV31- ST - 125-R	
									IV31- SK - 125-R	
									IV31-WH-125-R	
125 (5")	38	100	Natural Rubber	155	35	122	(A) 80X60 (B) 100X85X3 (C) 77X55 (D) 9	Roller Bearing 	IV31- FX - 160-R	
									Iv31- PL - 160-R	
									Iv31- PK - 160-R	
									Iv31- ST - 160-R	
									Iv31- SK - 160-R	
									IV31-WH-160-R	
160 (6.4")	40	145	Natural Rubber	195	45	174	(A) 105X80 (B) 135X110X4 (C) 105X75 (D) 11	Roller Bearing 	IV31- FX - 200-R	
									IV31- PL - 200-R	
									IV31- PK - 200-R	
									IV31-WH-200-R	
200 (8")	50	210	Natural Rubber	235	47	175.50	(A) 105X80 (B) 135X110X4 (C) 105X75 (D) 11	Roller Bearing 		

Only Rubber Wheel with steel core with roller bearing (without nut, bolt & dust cover)

PRODUCT	Wheel dia (mm)	Wheel material	Tread width (mm)	Load capacity (kg.) Per Pc.	Bore Size MM	NO. Model	Price/Each Rs.
	75	Natural Rubber With Needle Roller Bearing	22	40	12	IV32-WH-75-R	
	100		27	60	12	IV32-WH-100-R	
	125		34	80	12	IV32-WH-125-R	
	160		39	120	20	IV32-WH-160-R	
	200		45	200	20 25	IV32-WH-200-R IV32-WH-200-R	
	250		50	240	25	IV32-WH-250-R	
	300		50	270	25	IV32-WH-300-R	

	 Wheel dia (mm)	 Tread width (mm)	 Load capacity (kg.) Per Pc.	 Wheel material	 Loading height (mm)	 Swivel radius (mm)	 Thread size (mm)	NO. Model	Price/Each Rs.
 IV16-(E)ST/SK-100-PU	100 (4")	32	80	PU	137	40	Stem Ø22x45	IV16(E)ST/SK-100-PU IV16(E)TH/TK-100-PU	
 IV16-(E)ST/SK-125-PU	125 (5")	32	110	PU	164	41	Stem Ø22x45	IV16-(E)ST/SK-125-PU IV16(E)TH/TK-125-PU	
 IV16-(E)ST/SK-125-PU	150 (6")	32	130	PU	195	46	Stem Ø22x45	IV16-(E)ST/SK-150-PU IV16(E)TH/TK-125-PU	
 IV81-SK-150-ER-G	150 (6")	50	130	Elastic Rubber (ER)	195	36	Stem Ø22x45	IV81-ST(22-45)-150-ER-G IV81-SK(22-45)-150-ER-G	
							Stem Ø28x45	IV81-ST(28-45)-150-ER-G IV81-SK(28-45)-150-ER-G	
 IV81-SK-200-ER-G	200 (8")		150		245	45	Stem Ø22x45	IV81-ST(22-45)-200-ER-G IV81-SK(22-45)-200-ER-G	
							Stem Ø28x45	IV81-ST(28-45)-200-ER-G IV81-SK(28-45)-200-ER-G	
 IV16-(E)TH/TK-100-PU	100 (4")	32	80	PU	137	40	Stem Ø22x45 (M12X25)	IV16-(E)ST/SK-100-PU (Side Cover) IV16-(E)TH/TK-100-PU	
 IV16-(E)ST/SK-125-PU	125 (5")		110		164	41		IV16-(E)ST/SK-125-PU (Side Cover) IV16-(E)TH/TK-125-PU	

IV62 New Twin Wheel Medical Caster Wheels




50-100kg



IV62-TWPL-75-TPR-G




IV62-TWPK-75-TPR-G



IV62-TWTH-75-TPR-G



IV62-TWTK-75-TPR-G



Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading height (mm)	Swivel radius (mm)	Brake swivel radius (mm)	Plate size (mm)	Thread size (mm)	NO. Model	Price/Each Rs.
75(3")	14x57	50	TPE	103	61.50	79	(A) 46x35 (B) 59x47 (C) 6.5Ø	M12x25	IV62-TWPL-75-TPR-G	
				100					IV62-TWPK-75-TPR-G	
									IV62-TWTH-75-TPR-G	
									IV62-TWTK-75-TPR-G	
100(4")	18x72	80	TPE	135	81	106	(A) 74x45 (B) 95x70 (C) 9Ø	M12x25	IV62-TWPL-100-TPR-G	
				126					IV62-TWPK-100-TPR-G	
									IV62-TWTH-100-TPR-G	
									IV62-TWTK-100-TPR-G	
120	24x91	100	TPE	155	98	127		M12x25	IV62-TWTH-(M12x25)120-TPR-G	
								M12x25	IV62-TWTK-(M12x25)120-TPR-G	
								M16x25	IV62-TWTH-(M16x25)120-TPR-G	
								M16x25	IV62-TWTK-(M16x25)120-TPR-G	

TPE: Thermo Plastic Elastomer

Images	Code	Description	Price/Each Rs.
L PEDALS	IV62-ZKJT-01 Pedal (L)	Pedals - Made of high quality Nylon-PA6 Red & Green part is made of TPE material.	
	IV62-ZKJT-01 Pedal (R)	Pedals - Made of high quality Nylon-PA6 Red & Green part is made of TPE material.	

	IV61-LINK	Link- Zinc Alloy	
--	-----------	------------------	--

IV62



Medical bed central locking Caster Wheels



75-180kg



IV62-CLC-2N30-75-D32X50



IV62-CLC-2N30-100-D32X50




IV62-CLC-2D/30-200-D28X96

Wheel Dia (mm)	Wheel Material	Tread Width (mm)	Load Capacity (kg)	Load Height (mm)	Swivel Radius (mm)	Bearing	Grip ring stem dia (mm)	Grip ring stem length (mm)	NO. Model	Price/Each Rs.
75(3")	PP + PA + TPR	31	75kg	113	60.5	Single Ball Bearing	32Ø	50	IV62-CLC-2N30-75-D32X50	
75(3")		31	75kg	113	60.5		32Ø	50	IV62-CLC-3N30-75-D32X50	
100(4")	PA + TPE	30	100kg	137	84		32Ø	50	IV62-CLC-2N30-100-D32X50	
100(4")	PA + TPE	30	100kg	137	84		32Ø	50	IV62-CLC-3N30-100-D32X50	
200(8")	AL + TPU	29	160kg	229	154	Double Ball Bearing	28Ø	96	IV62-CLC-2D/30-200-D28X96	
200(8")		29	160kg	229	154		28Ø	96	IV62-CLC-3D/30-200-D28X96	

IV62 Twin Wheel Central locking Caster wheel



100-125kg



IV62-TW-CLC-3N/30-~~125~~-D28X96

IV62-TW-CLC-2N/30-~~150~~-D28X96

IV62-TWCLC-~~100~~-ALS

 Wheel Dia (mm)	 Wheel Material	 Tread Width (mm)	 Load Capacity (kg)	 Load Height (mm)	 Swivel Radius (mm)	 Bearing	 Grip ring stem dia (mm)	 Grip ring stem length (mm)	NO. Model	Price/Each Rs.
125(5")	PA6 + TPU	18x74	100kg	155	101	 Double Ball Bearing	28Ø	96	IV62-TW-CLC-2N/30-125-D28X96	
125(5")		18x74	100kg	155	101				IV62-TW-CLC-3N/30-125-D28X96	
150(6")	PA6 + TPU	21.5x76	125kg	168.5	125.8	 Double Ball Bearing	28Ø	96	IV62-TW-CLC-2N/30-150-D28X96	
150(6")		21.5x76	125kg	168.5	125.8				IV62-TW-CLC-3N/30-150-D28X96	
100	TPU	12x60	100kg	128		 Double Ball Bearing	32Ø	50	IV62-TW-CLC-CC-100-ALS-32X50	
125		12x60	120kg	150			32Ø	50	IV62-TW-CLC-CC-125-1FD-32X50 3N/D	
									IV62-TW-CLC-CC-125-1FD-32X50 3N/NON	

TPU: Thermo Plastic Urathene



IV45-SS-FC-FX-100x50-PU-R



IV45-SS-FC-PL-150x50-PU-R



IV45-SS-FC-PK-200x50-PU-R



IV45-SS-FC-SK-100x32-PU-R

Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading height (mm)	Swivel radius (mm)	Bearing	NO. Model	Price/Each Rs.
----------------	------------------	-----------------------------	----------------	---------------------	--------------------	---------	---------------------	-------------------

FABRICATED CASTER WHEELS

50	25	30	Polyurethane (PU)	80		A) 60x30 B) 75X50 C) 6Ø 22Øx45	 Single Ball Bearing	IV45-SS-FC-FX-50x25-PU-R	
								IV45-SS-FC-PL-50x25-PU-R	
								IV45-SS-FC-PK-50x25-PU-R	
75	32	65	Polyurethane (PU)	105		A) 55x55 B) 75X75 C) 9Ø 22Øx45	 Single Ball Bearing	IV45-SS-FC-FX-75x32-PU-R	
								IV45-SS-FC-PL-75x32-PU-R	
								IV45-SS-FC-PK-75x32-PU-R	
								IV45-SS-FC-ST-75x32-PU-R	
								IV45-SS-FC-SK-75x32-PU-R	
100	32	75	Polyurethane (PU)	135		A) 55x55 B) 75X75 C) 9Ø 22Øx45	 Single Ball Bearing	IV45-SS-FC-FX-100x32-PU-R	
								IV45-SS-FC-PL-100x32-PU-R	
								IV45-SS-FC-PK-100x32-PU-R	
								IV45-SS-FC-ST-100x32-PU-R	
								IV45-SS-FC-SK-100x32-PU-R	

FABRICATED CASTER WHEELS

100	50	100	Polyurethane (PU)	135	87	A) 75x75 B) 100x100 C) 12Ø	 Double Ball Bearing	IV45-SS-FC-FX-100x50-PU-R	
								IV45-SS-FC-PL-100x50-PU-R	
								IV45-SS-FC-PK-100x50-PU-R	
150	50	150	Polyurethane (PU)	180	121	A) 100x75 B) 125x100 C) 12Ø	 Double Ball Bearing	IV45-SS-FC-FX-150x50-PU-R	
								IV45-SS-FC-PL-150x50-PU-R	
								IV45-SS-FC-PK-150x50-PU-R	
200	50	175	Polyurethane (PU)	235	158	A) 100x100 B) 125x125 C) 12Ø	 Double Ball Bearing	IV45-SS-FC-FX-200x50-PU-R	
								IV45-SS-FC-PL-200x50-PU-R	
								IV45-SS-FC-PK-200x50-PU-R	

Only Wheel

IV45-WH-50x25-PU-R	
IV45-WH-75x25-PU-R	
IV45-WH-75x32-PU-R	
IV45-WH-100x32-PU-R	
IV45-WH-100x38-PU-R	
IV45-WH-100x50-PU-R	
IV45-WH-125x38-PU-R	
IV45-WH-125x50-PU-R	
IV45-WH-150x50-PU-R	
IV45-WH-200x50-PU-R	

New	Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pk.	Loading height (mm)	Wheel material	Swivel radius (mm)	Brake swivel radius (mm)	Bearing	Plate size (mm)	NO. Model	Price/Each Rs.
 IV-Z104-FX-100-PP-M  IV-Z104-PL-125-PP-M  IV-Z104-PK-150-PP-M	100	50	200	143	PP	84	125		(A)92X67 (B)115X100 (C)76/76 (D)11	IV-Z104-FX-100-PP-M	
										IV-Z104-PL-100-PP-M	
										IV-Z104-PK-100-PP-M	
										IV-Z104-WH-100-PP-M	
	125	50	250	164	PP	105			(A)92X67 (B)115X100 (C)76/76 (D)11	IV-Z104-FX-125-PP-M	
										IV-Z104-PL-125-PP-M	
										IV-Z104-PK-125-PP-M	
										IV-Z104-WH-125-PP-M	
	150	50	300	190	PP	120	136		(A)92X67 (B)115X100 (C)76/76 (D)11	IV-Z104-FX-150-PP-M	
										IV-Z104-PL-150-PP-M	
										IV-Z104-PK-150-PP-M	
										IV-Z104-WH-150-PP-M	
	200	50	350	240	PP	143	157		(A)92X67 (B)115X100 (C)76/76	IV-Z104-FX-200-PP-M	
										IV-Z104-PL-200-PP-M	
										IV-Z104-PK-200-PP-M	
										IV-Z104-WH-200-PP-M	
 IV-Z104-FX-100-PP-BLOCK  IV-Z104-PL-150-PP-BLOCK  IV-Z104-PK-200-PP-BLOCK	100	50	300	143	PP Block	84	125		(A)92X67 (B)115X100 (C)76/76 (D)11	IV-Z104-FX-100-PP-BLOCK	
										IV-Z104-PL-100-PP-BLOCK	
										IV-Z104-PK-100-PP-BLOCK	
										IV-104-WH-100-PP-BLOCK	
	150	50	400	190	PP Block	120	136		(A)92X67 (B)115X100 (C)76/76 (D)11	IV-Z104-FX-150-PP-BLOCK	
										IV-Z104-PL-150-PP-BLOCK	
										IV-Z104-PK-150-PP-BLOCK	
										IV-104-WH-150-PP-BLOCK	
	200	50	500	240	PP Block	143	157		(A)92X67 (B)115X100 (C)76/76 (D)11	IV-Z104-FX-200-PP-BLOCK	
										IV-Z104-PL-200-PP-BLOCK	
										IV-Z104-PK-200-PP-BLOCK	
										IV-104-WH-200-PP-BLOCK	



IV 10-20 series

Skipdproof
With Double Ball Bearing



150-350 kg

	Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Loading height (mm)	Wheel material	Swivel radius (mm)	Brake swivel radius (mm)	Bearing	Plate size (mm)	NO. Model	Price/Each Rs.
 IV10-FX-100-PU-G IV10-PL-150-PU-G IV10-PK-200-PU-G	100 (4")		200	143	PVC	84	125	 Double Ball Bearing 6202ZZ	(A)92 X 67 (B)115 X 100 (C)76 X76 (D)11	IV10-FX-100-PVC-G	
										IV10-PL-100-PVC-G	
										IV10-PK-100-PVC-G	
										IV10-WH-100-PVC-G	
										IV10-FX-150-PVC-G	
										IV10-PL-150-PVC-G	
										IV10-PK-150-PVC-G	
										IV10-WH-150-PVC-G	
										IV10-FX-200-PVC-G	
										IV10-PL-200-PVC-G	
	150 (6")	50	300	190	PVC	120	136			IV10-PK-200-PVC-G	
	200 (8")		350	240	PVC	143	157			IV10-WH-200-PVC-G	
 IV20-FX-150-TPR-G IV20-PL-100-TPR-G IV20-PK-150-TPR-G	100		150	143		84	125	 Double Ball Bearing 6202ZZ	(A)92 X 67 (B)115 X 100 (C)76 X76 (D)11	IV20-FX-100-TPR-G	
										IV20-PL-100-TPR-G	
										IV20-PK-100-TPR-G	
										IV20-WH-100-TPR-G	
										IV20-FX-150-TPR-G	
										IV20-PL-150-TPR-G	
										IV20-PK-150-TPR-G	
										IV20-WH-150-TPR-G	
										IV20-FX-200-TPR-G	
										IV20-PL-200-TPR-G	
										IV20-PK-200-TPR-G	
										IV20-WH-200-TPR-G	
	150	50	200	190	TPR GREY	120	136				
	200		250	240		143	157				





IV 35 & IV 35-1

Solid Rubber



150-300 kg


New	Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pg.	Loading height (mm)	Wheel material	Swivel radius (mm)	Brake swivel radius (mm)	Bearing	Plate size (mm) A B C	NO. Model	Price/Each Rs.
 IV35-FX-150-R  IV35-PL-150-R  IV35-PK-200-R  IV35-WH-250-R	150 (6")	50	200	190	Solid Rubber (Red Disc)	120	136	 Double Ball Bearing	(A)92 X 67 (B)115 X 100 (C)76 X76 (D)11	IV35-FX-150-R	
										IV35-PL-150-R	
										IV35-PK-150-R	
										IV35-WH-150-R	
					Solid Rubber (Red Disc)	143	157	 Double Ball Bearing	(A)92 X 67 (B)115 X 100 (C)76 X76 (D)11	IV35-FX-200-R	
	200	50	250	240						IV35-PL-200-R	
										IV35-PK-200-R	
					Solid Rubber (Red Disc)			 Double Ball Bearing	(A)92 X 67 (B)115 X 100 (C)76 X76 (D)11	IV35-WH-200-R	
	125	40	150	15			6202			IV35-WH-125-R	
	250	70	350	17			6203			IV35-WH-250-R	
 IV35-1-FX-150-R  IV35-1-PL-150-R  IV35-1-PK-200-R  IV35-1-WH-200-R	150 (6")	50	150	190	Solid Rubber (Green Disc)	120	136	 Double Ball Bearing 6202ZZ	(A)92 X 67 (B)115 X 100 (C)76 X76 (D)11	IV35-1-FX-150-R	
										IV35-1-PL-150-R	
										IV35-1-PK-150-R	
										IV35-1-WH-150-R	
					Solid Rubber (Green Disc)			 Double Ball Bearing	(A)92 X 67 (B)115 X 100 (C)76 X76 (D)11	IV35-1-FX-200-R	
						143	157			IV35-1-PL-200-R	
	200	50	200	240						IV35-1-PK-200-R	
										IV35-1-WH-200-R	



IV13 SERIES



160-300 kg

	Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Loading height (mm)	Wheel material	Swivel radius (mm)	Brake swivel radius (mm)	Bearing	Plate size (mm)	NO. Model	Price/Each Rs.
 IV13-PL-150-SRT-BR  IV13-PK-150-SRT-BR  IV13-FX-150-SRT-BR	100	50	110	143	FOAM RUBBER	84	125	 Double Ball Bearing 6202ZZ	(A)92 X 67 (B)115 X 100 (C)76 X76 (D)11	IV13-FX-100-SRT-BR	
										IV13-PL-100-SRT-BR	
										IV13-PK-100-SRT-BR	
										IV13-WH-100-SRT	
										IV13-FX-150-SRT-BR	
	150	50	200	190		120	136			IV13-PL-150-SRT-BR	
										IV13-PK-150-SRT-BR	
										IV13-WH-150-SRT	
										IV13-FX-200-SRT-BR	
	200	50	230	240		143	157			IV13-PL-200-SRT-BR	
										IV13-PK-200-SRT-BR	
										IV13-WH-200-SRT	

M.S ZINC PLATED BRACKET IV104 With Nut+Bolt

IV-BKT-IV104-FX-100x50	Fix	
IV-BKT-IV104-PL-100x50	Swivel Plate	
IV-BKT-IV104-PK-100x50	Swivel + Brake	

IV-BKT-IV104-FX-125x50	Fix	
IV-BKT-IV104-PL-125x50	Swivel Plate	
IV-BKT-IV104-PK-125x50	Swivel + Brake	

IV-BKT-IV104-FX-150x50	Fix	
IV-BKT-IV104-PL-150x50	Swivel Plate	
IV-BKT-IV104-PK-150x50	Swivel + Brake	

IV-BKT-IV104-FX-200x50	Fix	
IV-BKT-IV104-PL-200x50	Swivel Plate	
IV-BKT-IV104-PK-200x50	Swivel + Brake	

PRODUCT	Wheel dia (mm)	Tread width (mm)	Load capacity (kg)	Wheel material	Loading height (mm)	Swivel radius (mm)	Diagram	Bearing	NO. Model	Price/Each Rs.
 IV-Z104-FX100-PUR	100 (4")	50	110	Poly Urethane (PU) Red	143	84	 (A)92x67 (B)115x100 (C)76x76 (D)11	 Double Ball Bearing (6202ZZ)	IV-Z104-FX100-PU-R	
									IV-Z104-PL100-PU-R	
									IV-Z104-PK100-PU-R	
									IV-104-WH100-PU-R	
 IV-Z104-PL125-PUR	125 (5")	50	160	Poly Urethane (PU) Red	164	105	 (A)92x67 (B)115x100 (C)76x76 (D)11	 Double Ball Bearing (6202ZZ)	IV-Z104-FX125-PU-R	
									IV-Z104-PL125-PU-R	
									IV-Z104-PK125-PU-R	
									IV-104-WH125-PU-R	
 IV-Z104-PL150-PUR	150 (6")	50	210	Poly Urethane (PU) Red	190	120	 (A)92x67 (B)115x100 (C)76x76 (D)11	 Double Ball Bearing (6202ZZ)	IV-Z104-FX150-PU-R	
									IV-Z104-PL150-PU-R	
									IV-Z104-PK150-PU-R	
									IV-104-WH150-PU-R	
 IV-Z104-PK150-PUR	200 (8")	50	250	Poly Urethane (PU) Red	240	157	 (A)92x67 (B)115x100 (C)76x76 (D)11	 Double Ball Bearing (6203ZZ)	IV-Z104-FX200-PU-R	
									IV-Z104-PL200-PU-R	
									IV-Z104-PK200-PU-R	
									IV-104-WH200-PU-R	
PRODUCT	Wheel dia (mm)	Tread width (mm)	Load capacity (kg)	Wheel material	Loading height (mm)	Swivel radius (mm)	Diagram	Bearing	NO. Model	Price/Each Rs.
 IV-Z104-FX100-CI-PU	100 (4")	50	200	Polyurethane (PU) C.I.Core	143	84	 (A)92x67 (B)115x100 (C)76x76 (D)11	 Double Ball Bearing (6202ZZ)	IV-Z104-FX100-CI-PU	
									IV-Z104-PL100-CI-PU	
									IV-Z104-PK100-CI-PU	
									IV-104-WH100-CI-PU	
 IV-Z104-PL125-CI-PU	125 (5")	50	250	Polyurethane (PU) C.I.Core	164	105	 (A)92x67 (B)115x100 (C)76x76 (D)11	 Double Ball Bearing (6202ZZ)	IV-Z104-FX125-CI-PU	
									IV-Z104-PL125-CI-PU	
									IV-Z104-PK125-CI-PU	
									IV-104-WH125-CI-PU	
 IV-Z104-PK150-CI-PU	150 (6")	50	300	Polyurethane (PU) C.I.Core	190	120	 (A)92x67 (B)115x100 (C)76x76 (D)11	 Double Ball Bearing (6202ZZ)	IV-Z104-FX150-CI-PU	
									IV-Z104-PL150-CI-PU	
									IV-Z104-PK150-CI-PU	
									IV-104-WH150-CI-PU	
 IV-104-WH200-CI-PU	200 (8")	50	350	Polyurethane (PU) C.I.Core	240	143	 (A)92x67 (B)115x100 (C)76x76 (D)11	 Double Ball Bearing (6203ZZ)	IV-Z104-FX200-CI-PU	
									IV-Z104-PL200-CI-PU	
									IV-Z104-PK200-CI-PU	
									IV-104-WH200-CI-PU	



IV39 - C.I.+RUBBER / Z104-AL+PU 110-300 kg

	 Wheel dia (mm)	 Tread width (mm)	 Loading height (mm)	 Load capacity (kg.) Per Pc.	 Wheel material	 Swivel radius (mm)	 Bearing	 Plate size (mm)	NO. Model	Price/Each Rs.
 IV39-FX-100-C.I.+RUBBER	100 (4")	50	143	110	C.I. + Rubber	84			IV39-FX-100-C.I.+RUBBER	
									IV39-PL-100-C.I.+RUBBER	
									IV39-PK-100-C.I.+RUBBER	
									IV39-WH-100-C.I.+RUBBER	
 IV39-PL-125-C.I.+RUBBER	125 (5")	50	164	140	C.I. + Rubber	105	 Roller Bearing	(A)92 X 67 (B)115 X100 (C)76X76 (D)11	IV39-FX-125-C.I.+RUBBER	
									IV39-PL-125-C.I.+RUBBER	
									IV39-PK-125-C.I.+RUBBER	
									IV39-WH-125-C.I.+RUBBER	
 IV39-PK-200-C.I.+RUBBER	150 (6")	50	190	210	C.I. + Rubber	121	 Roller Bearing	(A)92 X 67 (B)115 X100 (C)76X76 (D)11	IV39-FX-150-C.I.+RUBBER	
									IV39-PL-150-C.I.+RUBBER	
									IV39-PK-150-C.I.+RUBBER	
									IV39-WH-150-C.I.+RUBBER	
 IV39-WH-150-C.I.+RUBBER	200 (8")		240	230	C.I. + Rubber	143			IV39-FX-200-C.I.+RUBBER	
									IV39-PL-200-C.I.+RUBBER	
									IV39-PK-200-C.I.+RUBBER	
									IV39-WH-200-C.I.+RUBBER	

PRODUCT	 Wheel dia (mm)	 Tread width (mm)	 Loading height (mm)	 Load capacity (kg)	 Wheel material	 Swivel radius (mm)	 Bearing	 Plate size (mm)	NO. Model	Price/Each Rs.
 IV-Z104-FX100-Alu+PU	100 (4")	50	143	200	Alu. Core (PU) Wheel	84	 Double Ball Bearing (6202ZZ)	(A)92x67 (B)115x100 (C)76x76 (D)11	IV-Z104-FX100-Alu+PU	
									IV-Z104-PL100-Alu+PU	
									IV-Z104-PK100-Alu+PU	
									IV-Z104-WH100-Alu+PU	
 IV-Z104-PL150-Alu+PU	150 (6")	50	190	280	Alu. Core (PU) Wheel	120	 Double Ball Bearing (6202ZZ)	(A)92x67 (B)115x100 (C)76x76 (D)11	IV-Z104-FX150-Alu+PU	
									IV-Z104-PL150-Alu+PU	
									IV-Z104-PK150-Alu+PU	
									IV-Z104-WH150-Alu+PU	
 IV-Z104-PK200-Alu+PU	200 (8")	50	240	300	Alu. Core (PU) Wheel	143	 Double Ball Bearing (6203ZZ)	(A)92x67 (B)115x100 (C)76x76 (D)11	IV-Z104-FX200-Alu+PU	
									IV-Z104-PL200-Alu+PU	
									IV-Z104-PK200-Alu+PU	
									IV-Z104-WH200-Alu+PU	

Product	Wheel dia (mm)	Tread width (mm)	Wheel material	Load capacity (kg.) Per Pc.	Loading height (mm)	Swivel radius (mm)	Bearing	Plate size (mm)	NO. Model	Price/Each Rs.
 IV-Z103-FX-75-PU-AS	75 (3")	32	Anti Static (PU) Wheel Blue	90	105		Single Ball Bearing	(A) 78x45 (B) 92x62 (C) 71x45 (D) 8.5	IV-Z103-FX-75-PU-AS	
								IV-Z103-PL-75-PU-AS		
								IV-Z103-PK-75-PU-AS		
					Thread Stem M12X25			IV-Z103-TH-75-PU-AS		
								IV-Z103-TK-75-PU-AS		
								IV-Z103-WH-75-PU-AS		
 IV-Z103-PL-100-PU-AS	100 (4")	32	Anti Static (PU) Wheel Blue	100	130		Single Ball Bearing	(A) 78x45 (B) 92x62 (C) 71x45 (D) 8.5	IV-Z103-FX-100-PU-AS	
								IV-Z103-PL-100-PU-AS		
								IV-Z103-PK-100-PU-AS		
					Thread Stem M12X25			IV-Z103-TH-100-PU-AS		
								IV-Z103-TK-100-PU-AS		
								IV-Z103-WH-100-PU-AS		
 IV-Z103-PK-125-PU-AS	125 (5")	32	Anti Static (PU) Wheel Blue	130	155		Single Ball Bearing	(A) 78x45 (B) 92x62 (C) 71x45 (D) 8.5	IV-Z103-FX-125-PU-AS	
								IV-Z103-PL-125-PU-AS		
								IV-Z103-PK-125-PU-AS		
					Thread Stem M12X25			IV-Z103-TH-125-PU-AS		
								IV-Z103-TK-125-PU-AS		
								IV-Z103-WH-125-PU-AS		

PRODUCT	Wheel dia (mm)	Tread width (mm)	Wheel material	Load capacity (kg)	Loading height (mm)	Swivel radius (mm)	Bearing	Plate size (mm)	NO. Model	Price/Each Rs.
 IV-Z104-FX100-PU-AS	100 (4")	50	Anti Static (PU) Wheel	110	143	84	Double Ball Bearing (6202ZZ)	(A)92x67 (B)115x100 (C)76x76 (D)11	IV-Z104-FX100-PU-AS	
									IV-Z104-PL100-PU-AS	
									IV-Z104-PK100-PU-AS	
									IV-Z104-WH100-PU-AS	
 IV-Z104-PL125-PU-AS	125 (5")	50	Anti Static (PU) Wheel	160	164	105	Double Ball Bearing (6202ZZ)	(A)92x67 (B)115x100 (C)76x76 (D)11	IV-Z104-FX125-PU-AS	
									IV-Z104-PL125-PU-AS	
									IV-Z104-PK125-PU-AS	
									IV-Z104-WH125-PU-AS	
 IV-Z104-PL125-PU-AS	150 (6")	50	Anti Static (PU) Wheel	210	190	120	Double Ball Bearing (6202ZZ)	(A)92x67 (B)115x100 (C)76x76 (D)11	IV-Z104-FX150-PU-AS	
									IV-Z104-PL150-PU-AS	
									IV-Z104-PK150-PU-AS	
									IV-Z104-WH150-PU-AS	
 IV-Z104-PK200-PU-AS	200 (8")	50	Anti Static (PU) Wheel	250	240	157	Double Ball Bearing (6203ZZ)	(A)92x67 (B)115x100 (C)76x76 (D)11	IV-Z104-FX200-PU-AS	
									IV-Z104-PL200-PU-AS	
									IV-Z104-PK200-PU-AS	
									IV-Z104-WH200-PU-AS	

Surface resistivity of anti static wheel is in range of 10^9 to 10^{11} ohms per square



IV-IT 113-PL40-NY



IV-IT 113-PL100-NY



IV-IT 113-PL150-NY



IV-IT 113-HO100-NY

Wheel dia (mm)	Adjustable Height(mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading height (mm)	*	NO. Model	Price/Each Rs.
40x19.2	8	100kg / 4 pcs	Nylon	75	A)42x42 B)55x55x3 C)7	IV-IT 113-PL40-NY	
50x24	10	500kg / 4 pcs	Nylon	85	A)58x58 B)73x73x5 C)7	IV-IT 113-PL60-NY	
62x30.7	12	1000kg / 4 pcs	Nylon	110	A)70x70 B)90x90x5 C)9	IV-IT 113-PL80-NY	
75x32	12	1500kg / 4 pcs	Nylon	120	A)70x70 B)95x95x5 C)11	IV-IT 113-PL100-NY	
75x32	12	2000kg / 4 pcs	Nylon	120	A)70x70 B)95x95x6 C)11	IV-IT 113-PL120-NY	
90x56	12	3000kg / 4 pcs	Nylon	120	A)70x70 B)98x98x5 C)13	IV-IT 113-PL150-NY	
50x24	10	500kg/ 4 pcs	Nylon	85		IV-IT113-HO-60-NY	
62x30.7	12	1000kg/ 4 pcs	Nylon	110		IV-IT113-HO-80-NY	
75x32	12	1500kg/ 4 pcs	Nylon	120		IV-IT113-HO-100-NY	

	Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Loading height (mm)	Wheel material	Bearing		NO. Model	Price/Each Rs.
 IV-Z213-PL50-PVC-R	50	24	40 kg	71	PVC	 Double Ball Bearing	A) 55x35 B) 70x50 C) 49x35 D) 8.5	IV-Z213-PL50-PVC-R	
 IV-Z213-PL75-PVC-R	75	32	75 kg	105	PVC		A) 78x45 B) 92x62 C) 71x45 D) 8.5	IV-Z213-PL75-PVC-R	

	Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Loading height (mm)	Wheel material		Bearing	Plate size (mm)	NO. Model	Price/Each Rs.
IV-B100-FX100-NY IV-B100-PL100-NY IV-B100-PK100-NY	100 (4")	57	600	152	Nylon	IV-B100-FX150-NY IV-B100-PL150-NY IV-B100-PK150-NY IV-B100-FX200-NY IV-B100-PL200-NY IV-B100-PK200-NY	Double Ball Bearing 6203	(A) 110X84 (B) 140x110x10 (C) 110x66 (D) 13	IV-B100-FX100-NY	
									IV-B100-PL100-NY	
									IV-B100-PK100-NY	
	150 (6")	57	1200	202	Nylon		Double Ball Bearing 6204	(A) 110X84 (B) 140x110x10 (C) 110x66 (D) 13	IV-B100-FX150-NY	
									IV-B100-PL150-NY	
									IV-B100-PK150-NY	
	200 (8")	57	1500	252	Nylon		Double Ball Bearing 6204	(A) 110X84 (B) 140x110x10 (C) 110x66 (D) 13	IV-B100-FX200-NY	
									IV-B100-PL200-NY	
									IV-B100-PK200-NY	
	Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Loading height (mm)	Wheel material		Bearing	Plate size (mm)	NO. Model	Price/Each Rs.
New IV-BL-101-FX-100-NY IV-BL-101-PL-100-NY IV-BL-101-PK-100-NY IV-BL-101-WH-100-NY	100 (4")	52	600	159	HEAVY DUTY IMPACT RESISTANT NYLON	83	6203 Double Ball Bearing	(A) 110X84 (B) 140x110x10 (C) 110x66 (D) 13	IV-BL-101-FX-100-NY	
									IV-BL-101-PL-100-NY	
									IV-BL-101-PK-100-NY	
									IV-BL-101-WH-100-NY	
	150 (6")	52	900	208	HEAVY DUTY IMPACT RESISTANT NYLON	116	6204 Double Ball Bearing	(A) 110X84 (B) 140x110x10 (C) 110x66 (D) 13	IV-BL-101-FX-150-NY	
									IV-BL-101-PL-150-NY	
									IV-BL-101-PK-150-NY	
									IV-BL-101-WH-150-NY	
	200 (8")	52	1000	258	HEAVY DUTY IMPACT RESISTANT NYLON	154	6204 Double Ball Bearing	(A) 110X84 (B) 140x110x10 (C) 110x66 (D) 13	IV-BL-101-FX-200-NY	
									IV-BL-101-PL-200-NY	
									IV-BL-101-PK-200-NY	
									IV-BL-101-WH-200-NY	

New	Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Loading height (mm)	Wheel material	Swivel radius (mm)	Brake swivel radius (mm)	Bearing	Plate size (mm)	NO. Model	Price/Each Rs.
 IV351-FX-150-R  IV351-PL-200-R  IV351-PK-200-R	150 (6")	60	500	200	C.I. + RUBBER			6204 Double Ball Bearing	(A) 95x95 (B) 130x130x9 (C) 13	IV351-FX-150-R	
										IV351-PL-150-R	
										IV351-PK-150-R	
										IV351-WH-150-R	
	200 (8")	70	800	250	C.I. + RUBBER			6205 Double Ball Bearing	(A) 95x95 (B) 130x130x9 (C) 13	IV351-FX-200-R	
										IV351-PL-200-R	
										IV351-PK-200-R	
										IV351-WH-200-R	
	250 (10")	75	1000	300	C.I. + RUBBER			6205 Double Ball Bearing	(A) 120x120 (B) 160x160x9 (C) 13	IV351-FX-250-R	
										IV351-PL-250-R	
										IV351-PK-250-R	
										IV351-WH-250-R	
	300 (12")	80	1200	350	C.I. + RUBBER			6205 Double Ball Bearing	(A) 120x120 (B) 160x160x9 (C) 13	IV351-FX-300-R	
										IV351-PL-300-R	
										IV351-PK-300-R	
										IV351-WH-300-R	



Type	Capacity (mm)	Top Load
IV121-M/C-SKTT-HM50	5	10 ton Claw load 5 ton
IV121-M/C-SKTT-HM100	10	20 ton Claw load 10 ton

Total Elongation	Body Size	Price/Each Rs.
148mm	260*200*283mm	
158mm	295*220*322mm	

Products	Wheel (mm)	Load capacity (kg.) Per Pc.	Loading height (mm)	Wheel material	Swivel radius (mm)	Bearing	Plate size (mm)	NO. Model	Price/Each Rs.
 IV-B117-FX-200-PU-R	150x50 (6")	1000	206	C. I + Polyurethane (PU)	118		(A) 113x70 (B) 149x110 (D) 13	IV-B117-FX-150-PU-R	
								IV-B117-PL-150-PU-R	
								IV-B117-PK-150-PU-R	
								IV-B117-WH-150-PU-R	
 IV-B117-PL-200-PU-R	200x63 (8")	1400	264	C. I + Polyurethane (PU)	156	 Double Ball Bearing 6205ZZ	(A) 140x140 (B) 174x174 (D) 15	IV-B117-FX-200-PU-R	
								IV-B117-PL-200-PU-R	
								IV-B117-PK-200-PU-R	
								IV-B117-WH-200-PU-R	
 IV-B117-PK-200-PU-R	250x63 (10")	1600	305	C. I + Polyurethane (PU)	195		(A) 140x140 (B) 174x174 (D) 15	IV-B117-FX-250-PU-R	
								IV-B117-PL-250-PU-R	
								IV-B117-PK-250-PU-R	
								IV-B117-WH-250-PU-R	
 IV-B100-TWFX-150-NY	150x57 (Twin Wheel)	1500	215.50	Extra Heavy Duty Nylon Double Wheel		 Double Ball Bearing 6205ZZ	140x108x8 Fork: 6mm Hole: 19mm	IV-B100-TWFX-150-NY	
 IV-B100-TWPL-150-NY								IV-B100-TWPL-150-NY	
 IV-B100-TWPK-150-NY								IV-B100-TWPK-150-NY	



Z103 / 104 High Temperature Wheel



100-250 Kg

  	100	230 °C Hi-Temp Nylon	32	100	105	Single Ball Bearing 6001ZZ	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.5	IV-Z103-FX100-HT-230°C	
								IV-Z103-PL100-HT-230°C	
								IV-Z103-WH100-HT-230°C	
	150		50	250	190	Double Ball Bearing 6203ZZ	(A)92x67 (B)115x100 (C)76x76 (D)11	IV-Z104-FX150-HT-230°C	
								IV-Z104-PL150-HT-230°C	
								IV-Z104-WH150-HT-230°C	

NOTE: Recommended not to use more than 4 hours continuously



IV-Z103 / Z104 - C.I. WHEEL



90-300 KG

Images	Wheel dia (mm)	Wheel material	Tread width (mm)	Load capacity (kg) Per Pc.	Loading Height (mm)	Plate size (mm)	NO. Model	Price/Each
  IV-Z103-FX-75-C.I.  IV-Z103-PL-75-C.I.  IV-Z103-PK-75-C.I.	75	C.I. (Cast Iron) Bush Bearing	32	90 kg	105	(A) 78x45 (B) 95x66 (C) 71x45 (D)8.5	IV-Z103-FX-75-C.I.	
							IV-Z103-PL-75-C.I.	
							IV-Z103-PK-75-C.I.	
		C.I. (Cast Iron) Bush Bearing					IV-Z103-WH-75x32-C.I.	
							IV-Z103-FX-100-C.I.	
	100		32	110 kg	130		IV-Z103-PL-100-C.I.	
							IV-Z103-PK-100-C.I.	
							IV-Z103-WH-100x32-C.I.	
  IVZ104-FX-100-C.I.  IVZ104-PL-100-C.I.  IVZ104-PK-100-C.I.	100	C.I. (Cast Iron) Double Ball Bearing 6203	50	200	143	(A) 92x67 (B) 114x98 (C) 76x76 (D) 11	IVZ104-FX-100-C.I. (Cast Iron)	
							IVZ104-PL-100-C.I. (Cast Iron)	
							IVZ104-PK-100-C.I. (Cast Iron)	
		C.I. (Cast Iron) Double Ball Bearing 6203					IVZ104-WH-100-C.I. (Cast Iron)	
							IVZ104-FX-150-C.I. (Cast Iron)	
	150		50	300	190		IVZ104-PL-150-C.I. (Cast Iron)	
							IVZ104-PK-150-C.I. (Cast Iron)	
							IVZ104-WH-150-C.I. (Cast Iron)	

Product Code	Description	Price/each
60Ø		
IV-FLS-60.8 68	Size 60Ø - M8X68	
IV-FLS-60.8 100	Size 60Ø - M8X68	
IV-FLS-60.10 68	Size 60Ø -M10X68	
IV-FLS-60.10 100	Size 60Ø - M10X100	
IV-FLS-60.10 150	Size 60Ø- M 10 X150	
IV-FLS-60. 12 68	Size 60Ø - M12X68	
IV-FLS-60. 12 100	Size 60Ø - M12X100	
IV-FLS-60. 12 150	Size 60Ø -M12X150	
IV-FLS-60. 16 68	Size 60Ø - M16X68	
IV-FLS-60. 16 100	Size 60Ø - M16X100	
IV-FLS-60. 16 150	Size 60Ø - M16X150	

Product Code	Description	Price/each
80Ø		
IV-FLS-80.10 68	Size 80Ø - M10X68	
IV-FLS-80.10 100	Size 80Ø - M10X100	
IV-FLS-80.10 150	Size 80Ø- M 10 X150	
IV-FLS-80. 12 68	Size 80Ø - M12X68	
IV-FLS-80. 12 100	Size 80Ø - M12X100	
IV-FLS-80. 12 150	Size 80Ø- M12X150	
IV-FLS-80. 16 68	Size 80Ø - M16X68	
IV-FLS-80. 16 100	Size 80Ø - M16X100	
IV-FLS-80. 16 150	Size 80Ø - M16X150	
IV-FLS-80. 20 100	Size 80Ø - M20X100	
IV-FLS-80. 20 150	Size 80Ø - M20X150	
IV-FLS-80. 24 100	Size 80Ø - M24X100	
IV-FLS-80. 24 150	Size 80Ø - M24X150	
IV-FLS-80. 24 200	Size 80Ø - M24X200	

Product Code	Description	Price/each
100Ø		
IV-FLS-100.10 68	Size 100Ø - M10X68	
IV-FLS-100.10 100	Size 100Ø - M10X100	
IV-FLS-100.10 150	Size 100Ø- M 10 X150	




Product Code	Description	Price/each
100Ø		
IV-FLS-100. 12 68	Size 100Ø - M12X68	
IV-FLS-100. 12 100	Size 100Ø - M12X100	
IV-FLS-100. 12 150	Size 100Ø - M12X150	
IV-FLS-100. 16 68	Size 100Ø - M16X68	
IV-FLS-100. 16 100	Size 100Ø - M16X100	
IV-FLS-100. 16 150	Size 100Ø - M16X150	
IV-FLS-100. 20 100	Size 100Ø - M20X100	
IV-FLS-100. 20 150	Size 100Ø - M20X150	
IV-FLS-100. 24 100	Size 100Ø - M24X100	
IV-FLS-100. 24 150	Size 100Ø - M24X150	
IV-FLS-100. 24 200	Size 100Ø - M24X200	

Base Rubber Extra	D 60Ø	
Base Rubber Extra	D 80Ø	
Base Rubber Extra	D 100Ø	



IV121 - SKATE TROLLEY

SR.No	Model	Specification	Product Weight(kg)	* Load Capacity	Product Code	Price
1		1, PU wheels *4 pcs 2, Wheels size: dia68*74mm 3, Body size: 300*215*110mm	11.8	* 6 Ton / 4 pcs	IV121-SKTT-FX-6T-PU	
2		1, PU wheels *4 pcs 2, Wheels size: dia68*74mm 3, Body size: 310*195*110mm 4, Handle: 105*26*5cm	19	* 6 Ton/ 4 pcs	IV121-SKTT-SW-6T-PU	
3		1, PU wheels *6 pcs 2, Wheels size: dia68*74mm 3, Body size: 410*215*110mm	16.5	* 8 Ton/ 4 pcs	IV121-SKTT-FX-8T-PU	
4		1, PU wheels *6 pcs 2, Wheels size: dia68*74mm 3, Body size: 400*195*110mm 4, Handle: 105*26*5cm	24	* 8 Ton/ 4 pcs	IV121-SKTT-SW-8T-PU	
5		1, PU wheels *8 pcs 2, Wheels size: dia68*74mm 3, Body size: 495*215*110mm	21	* 12 Ton/ 4 pcs	IV121-SKTT-FX-12T-PU	
6		1, PU wheels *8 pcs 2, Wheels size: dia68*74mm 3, Body size: 450*280*110mm 4, Handle: 105*26*5cm	27	* 12 Ton/ 4 pcs	IV121-SKTT-SW-12T-PU	
7		1, PU wheels X 4 wheels+Y 4 wheels 2, Wheels size: dia80*70mm 3, Body size: 230*230*110mm *1 pcs 180*140*110mm *2 pcs 4, Handle: F: 800mm J: 300-1000mm	28	* 8 Ton/ 3 pcs	IV121-MC-SKTT-X4+Y4	
8		1, PU wheels X 8 wheels+Y 8 wheels 2, Wheels size: dia80*70mm 3, Body size: 560*420*110mm *1 pcs 200*200*110mm *2 pcs 4, Handle: F: 1400mm J: 400-1500mm	74	* 16 Ton/ 3 pcs	IV121-MC-SKTT-X8+Y8	
9		1, PU wheels X 12 wheels+Y 12 wheels 2, Wheels size: dia80*70mm 3, Body size: 750*450*110mm *1 pcs 260*200*110mm *2 pcs 4, Handle: F: 1400mm J: 400-1500mm	108	* 24 Ton/ 3 pcs	IV121-MC-SKTT-X12+Y12	
10		1, PU Wheels X 16 + Y16 2, Wheelsize : dia80*70mm (16+16) 3, Body Size - 936*500*10 4, Handle: F: 1400MM J: 400-1500MM		* 32 Ton/ 3 pcs	IV121-MC-SKTT-X16+Y16	

NOTE: * Item 1 to 6 load capacity on total 4 Nos * Item 7 to 10 load capacity on total 3Nos



IV-Z127 & PALLET TRUCK WHEELS

PRODUCT	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Capacity (kg)Pc.	Bearing	NO. Model	Price/Each Rs.
	C.I. + PU	80mm	70mm	500kg	6204 Without Ball Bearing	IV-121-C.I-PU Roller 80 X70 Without Ball Bearing	
	C.I. + PU	80mm	70mm	500kg	6204 With Double Ball Bearing ID=20mm	IV-121-C.I-PU Roller 80 X70 With Double Ball Bearing	
	C.I. + PU	180mm (7")	50mm	600kg	6204 With Double Ball Bearing ID=20mm	IV-121-C.I-PU Wheel 180 X 50 Without Double Ball Bearing	
						IV-121-C.I-PU Wheel 180 X 50 With Double Ball Bearing	



Z127-Pneumatic Caster Wheel



150-200 kg


	 Wheel dia (mm)	 Tread width (mm)	 Load capacity (kg.) Per Pc.	 Loading height (mm)	 Wheel material	 Bearing	 Plate size (mm)	NO. Model	Price/Each Rs.
 IV-Z127-PL200PRT  IV-Z127-FX200PRT  IV-Z127-WH250x62PRT	200 ("8")	62	150 Kg	257	Pneumatic Wheel	 Double Ball Bearing	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	IV-Z127-FX200-PRT	
								IV-Z127-PL200-PRT	
								IV-127-WH200x62-PRT	
								IV-Z127-FX250-PRT	
	250 ("10")	88	200 Kg	312	Pneumatic Wheel		(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	IV-Z127-PL250-PRT	
								IV-127-WH250x88-PRT	
IV-Z127-TUBE-200-PRT			Only Inner Tube 200mm						
IV-Z127-TUBE-250-PRT			Only Inner Tube 250mm						

Recommended Air Pressure 43 PSI

	25	12	12	29	TPR	Single Ball Bearing	IV-C208-FX-25-TPR	
	32	12	17	35	TPR	Single Ball Bearing	IV-C208-FX-32-TPR	
	12	13	10		PP	(A)20 (B)28X13	IV-C101-FX-12-PP	

	IV-Z101-Door Roller-25-PP	Door Roller Wheel Size : 25MM Width : 13MM Wheel Material : Poly Propylene Load Capacity : 7Kg/ pcs	
	IV-WMC-FR12-WHITE	Washing Machine Caster Wheel with Pad Lenght : 450x900MM Width : 50MM Height : 36MM Load Capacity : 200Kg/ set	
	IV-WMC-FR24-WHITE	Washing Machine Caster Wheel with Pad Lenght : 450x900MM Width : 50MM Height : 36MM Load Capacity : 250Kg/ set	

New



New



Model	Maximum Load Capacity	Dimension (48X48X15mm) Ball Tranfer unit with 5pc Nylon Ball	Price/Each Rs. (4pc)	Model	Maximum Load Capacity	Dimension (42x42x15mm) Ball Tranfer unit with 3pc Nylon Ball	Price/Each Rs. (4pc)
IV-BTS-5-NY	60kg/set			IV-BTS-3-NY	40kg/set		



FURNITURE MOOVING CASTER


PHOTO	ITEM CODE	DESCRIPTION	MRP
	IV-FR16-RUBBER	4 Rubber Wheel Caster Set Load Capacity : 200kg/set	
	IV-121-SKTT- IV-FURNITURE CASTER	Furniture Mover Rolling Pulley Load Capacity : 400kg/set	



Z101 - NY





50kg-70kg

Products	 Wheel dia (mm)	 Tread width (mm)	 Load capacity (kg.) Per Pc.	 Wheel material	 Loading height (mm)	 Plate size (mm)	 Bearing	NO. Model	Price/Each Rs.
 Z101-RC-25-NY-B	25	45	50	Nylon	40	(A) 42x68 (B) 58x80 (C) 8	Plain Bore	IV-Z101-RC-PL-25-NY-B	
 Z101-RC-32-NY-B	32	45	70	Nylon	45	(A) 42x68 (B) 58x80 (C) 8	Plain Bore	IV-Z101-RC-PL-32-NY-B	





BALL TRANSFER UNIT





Model	Maximum Load Capacity	Product Self Weight	Price/Each Rs.
IV-BT-FL-15	10kg	0.041g	60/-

Model	Maximum Load Capacity	Product Self Weight	Price/Each Rs.
IV-BT-FL-15-NY	10kg	0.041g	80/-



Model	Maximum Load Capacity	Product Self Weight	Price/Each Rs.
IV-BT-FL-25	25 kg	0.130 g	80/-



Model	Maximum Load Capacity	Product Self Weight	Price/Each Rs.
IV-BT-FL-25-NY	25kg	0.130g	120/-



*OD .57.5

Model	Maximum Load Capacity	Product Self Weight	Price/Each Rs.
IV-BT-FL-30	40kg	0.240 g	220/-

Model	Maximum Load Capacity	Product Self Weight	Price/Each Rs.
IV-BT-CL-25	25kg	0.155g	100/-




Model	Maximum Load Capacity	Product Self Weight	Price/Each Rs.
IV-BT-CL-15	10kg	0.040 g	60/-


Model	Maximum Load Capacity	Product Self Weight	Price/Each Rs.
IV-BT-CL-15-NY	10kg	0.040 g	80/-



BALL TRANSFER UNIT




*OD .72.5



Model	Maximum Load Capacity	Product Self Weight	Price/Each Rs.
IV-BT-CL-25	25kg	0.160g	100/-


Model	Maximum Load Capacity	Product Self Weight	Price/Each Rs.
IV-BT-CL-25-NY	25kg	0.160g	120/-



Ball : SS304



Housing : M.S.

New





Model	Maximum Load Capacity	Product Self Weight	Price/Each Rs.
IV-BT-FL-25-SS	30kg	0.041g	200/-

Model	Maximum Load Capacity	Product Self Weight	Price/Each Rs.
IV-BT-CL-30	40kg	0.240g	260/-



Model	Maximum Load Capacity	Product Self Weight	Price/Each Rs.
IV-BT-CYD-16	15kg	0.044kg	60/-

Model	Maximum Load Capacity	Product Self Weight	Price/Each Rs.
IV-BT-CYD-16-NY	12kg	0.044kg	80/-



Model	Maximum Load Capacity	Product Self Weight	Price/Each Rs.
IV-BT-CYD-22	20kg	0.120kg	100/-

Model	Maximum Load Capacity	Product Self Weight	Price/Each Rs.
IV-BT-CYD-22-NY	18kg	0.120kg	150/-



PLATFORM TROLLEY 200-400kg

Product Code : IV-PHT-D-200-4
Load Capacity : 200 Kg
Platform Size : 725x485mm (29"x19")
Caster Wheel : 100 mm (4")
Platform Material : Polypropelene (PP)
Price/Each Rs. :

Product Code : IV-PHT-D-300-5
Load Capacity : 300 Kg
Platform Size : 895x590mm (3'x2')
Caster Wheel : 125mm (5")
Platform Material : Polypropelene (PP)
Price/Each Rs. :

Product Code : IV-PHT-D-400-5
Load Capacity : 400 Kg
Platform Size : 895x590mm (3'x2')
Caster Wheel : 125 mm (5")
Platform Material : Polypropelene (PP)

IV-PHT300-FX125	
IV-PHT300-PL125	
IV-PHT150-FX100	
IV-PHT150-PL100	
IV-PHT-HANDLEONLY	

New



PLATFORM TROLLEY

Platform Trolley -500kg

IV-PHT-500-PU-GREY TROLLEY
Load Capacity:- 500Kg
Platform Size : 600x900 mm (3x2)
Caster Wheel : 125x40
Platform Material : Polypropelene (PP)
Price/Each Rs. :

New



M.S. PLATFORM TROLLEY

Code	IV-SPT-300
Load Capacity	300kg
Platform Size	900x600
Platform Height	180mm
Caster Wheel Size	125mm
Caster Wheel Material	PP
PRICE/EACH RS.	



PLATFORM	Hand Truck Folding Handle
CODE	IV-PHT-LH08-200
SIZE	L715xW460xH785
WHEEL	100mm PP Wheel
LOAD CAPACITY	200 Kg
PRICE/EACH RS.	



PLATFORM	Trolley With Cage
CODE	IV-PHT-C-300-5
SIZE	895(L)x590(W)x1000mm(H)
WHEEL	125mm
LOAD CAPACITY	300 Kg



FOLDING TROLLEY

Code : IV-FHC-H-02-90-TPE

Product Code : IV-FHC-H-02-90-TPE
 Load Capacity : 90 Kg
 Size : (L) 395x (W) 415mmx (H) 1080
 Caster Wheel : 150mm
 Platform Material : Aluminium/M.S.
 Price/Each Rs. :



Folding Luggage Trolley

Code	IV-FHC-70-TPE
Open Size	101x38.7x41.4cm
Close Size	65x38.7x5.5cm
Wheel	13cm PP+TPR+2 Bearing
Load Capacity	70Kg
Price/Each Rs.	

PHOTO	DESCRIPTION	PRODUCT CODE	PRICE
	Pneumatic wheel 3.50 - 8 Wheel Dia : 350x88 Double Ball Bearing Load Capacity : 130 Kg	IV227-WH-3.50-8-PRT WHEEL BARROW	
	Pneumatic wheel 4.00 - 8 Wheel Dia : 400x100 Double Ball Bearing Load Capacity : 150 Kg	IV227-WH-400-8-PRT WHEEL BARROW	
	PU wheel 8x2.50 - 4 Wheel Dia : 200x63 Double Ball Bearing Load Capacity : 100 Kg	IV227-WH-8x2.50-4-PU	
	PU wheel 10x4.10/3.50 - 4 Wheel Dia : 250x88 Double Ball Bearing Load Capacity : 130 Kg	IV227-WH-10x4.10-3.50-4-PU	
	Rubber Solid wheel Wheel Dia : 150x40 Double Ball Bearing Load Capacity : 80 Kg	IV227-WH-SR6x1.50	
	Rubber Solid wheel Wheel Dia : 200x45 Double Ball Bearing Load Capacity : 100 Kg	IV227-WH-SR-8x1.75	
	Step Trolley Wheel : (3) .150mm Load Capacity : 150Kg	IV32-WH(3)-STEPR	



IVY-99 Conductive Wheels ER & PP

PHOTO	DESCRIPTION	PHOTO	DESCRIPTION
	ER SIZE : 50X25 Non Marking ⌀ BALL BEARING: 608 PRICE: 210/- ITEM CODE: IV-99-CWH-50X25-ER Load Capacity: 30kg/ wheel		PP : 100X32 I SECTION ⌀ PLAIN BEARING: PRICE: 370/- ITEM CODE: IV-99-CWH-100X32-PP-(I) Load Capacity: 80kg/ wheel
	ER SIZE : 75X32 Non Marking ⌀ BALL BEARING: 6001 PRICE: 480/- ITEM CODE: IV-99-CWH-75X32-ER Load Capacity: 60kg/ wheel		PP : 75X32 BLOCK ⌀ BALL BEARING: 6202 PRICE: 370/- ITEM CODE: IV-99-CWH-75X32-PP-BLOCK Load Capacity: 60kg/ wheel
	ER SIZE : 100X32 Non Marking ⌀ BALL BEARING: 6001 PRICE: 820/- ITEM CODE: IV-99-CWH-100X32-ER Load Capacity: 80kg/ wheel		PP : 100X32 BLOCK ⌀ BALL BEARING: 6202 PRICE: 620/- ITEM CODE: IV-99-CWH-100X32-PP-BLOCK Load Capacity: 100kg/ wheel
	ER SIZE : 125X38 Non Marking ⌀ BALL BEARING: 6202 PRICE: 1300/- ITEM CODE: IV-99-CWH-125X38-ER Load Capacity: 120kg/ wheel		PP : 100X50 BLOCK ⌀ BALL BEARING: 6202 PRICE: 900/- ITEM CODE: IV-99-CWH-100X50-PP-BLOCK Load Capacity: 200kg/ wheel
	PP SIZE: 50X25 ⌀ PLAIN BEARING PRICE: 180/- ITEM CODE: IV-99-CWH-50X25-PP-BLOCK Load Capacity: 30kg/ wheel		PP : 125X38 I SECTION ⌀ BALL BEARING: 6202 PRICE: 720/- ITEM CODE: IV-99-CWH-125X38-PP(I) Load Capacity: 150kg/ wheel
	PP SIZE: 75X32 I SECTION ⌀ PLAIN BEARING PRICE: 180/- ITEM CODE: IV-99-CWH-75X32-PP-(I) Load Capacity: 50kg/ wheel		PP : 150X50 I SECTION ⌀ BALL BEARING: 6203 PRICE: 1200/- ITEM CODE: IV-99-CWH-100X50-PP-I Load Capacity: 400kg/ wheel

**NOTE: SURFACE RESISTIVITY OF POLYMER CONDUCTIVE WHEEL
IS IN RANGE 10^3 TO 10^7 OHMS PER SQUARE**



HEAVY DUTY - HIGHT QUALITY RUBBER C.I.+Wheel (WITHOUT BALL BEARING)

PHOTO	DESCRIPTION	PHOTO	DESCRIPTION
	SIZE: 150X50 BUSH TYPE: 25MM PRICE: 760/- ITEM CODE: IV351-C-223-150X50-RB Load Capacity: 130kg/ wheel		SIZE: 200X50 BEARING TYPE: 6205 PRICE: 840/- ITEM CODE: IV351-C-218-200X50-RB Load Capacity: 170kg/ wheel
	SIZE: 200X50 BUSH TYPE: 25MM PRICE: 840/- ITEM CODE: IV351-C-222-200X50-RB Load Capacity: 170kg/ wheel		SIZE: 200X75 BEARING TYPE: 6205 PRICE: 1800/- ITEM CODE: IV351-C-217-200X75-RB Load Capacity: 250kg/ wheel
	SIZE: 250X50 BUSH TYPE: 25MM PRICE: 1360/- ITEM CODE: IV351-C-221-250X50-RB Load Capacity: 200kg/ wheel		SIZE: 250X50 BEARING TYPE: 6205 PRICE: 1360/- ITEM CODE: IV351-C-216-250X50-RB Load Capacity: 200kg/ wheel
	SIZE: 300X50 BUSH TYPE: 25MM PRICE: 1680/- ITEM CODE: IV351-C-220-300X50-RB Load Capacity: 250kg/ wheel		SIZE: 250X64 BEARING TYPE: 6205 PRICE: 2250/- ITEM CODE: IV351-C-215-250X50-RB Load Capacity: 275kg/ wheel
	SIZE: 150X50 BEARING TYPE: 6205 PRICE: 760/- ITEM CODE: IV351-C-219-150X50-RB Load Capacity: 130kg/ wheel		SIZE: 250X75 BEARING TYPE: 6205 PRICE: 2250/- ITEM CODE: IV351-C-214-250X50-RB Load Capacity: 350kg/ wheel



HEAVY DUTY - HIGHT QUALITY RUBBER C.I.+Wheel (WITHOUT BALL BEARING)

PHOTO	DESCRIPTION	PHOTO	DESCRIPTION
	SIZE: 300X50MM ⊗ BEARING TYPE: 6205 PRICE: 1680/- ITEM CODE: IV351-C-213-300X50-RB Load Capacity: 250kg/ wheel		SIZE: 350X62MM ⊗ BEARING TYPE: PRICE: 1. 3800/- 2. 3800/- 3. 3900/- ITEM CODE: 1. IV351-C-208-350X62-RB (6205) 2. IV351-C-207-350X62-RB (6306) 3. IV351-C-206-350X62-RB (6307) Load Capacity: 500kg/ wheel
	SIZE: 300X75MM ⊗ BEARING TYPE: 6205 PRICE: 2650/- ITEM CODE: IV351-C-212-300X75-RB Load Capacity: 400kg / wheel		SIZE : 350X75 ⊗ BEARING TYPE: PRICE: 1. 4200/- 2. 4050/- ITEM CODE: 1. IV351-C-205-350X75-RB (6307) 2. IV351-C-204-350X75-RB (6205) Load Capacity: 650kg/ wheel
	SIZE: 300X75MM ⊗ BEARING TYPE: 6205 PRICE: 2500/- ITEM CODE: IV351-C-211-300X75-RB Load Capacity: 400kg/ wheel		SIZE: 350X100 ⊗ BEARING TYPE: 6307/6308 PRICE: 6700/- ITEM CODE: IV351-C-203-350X100-RB Load Capacity: 800kg/ wheel
	SIZE: 300X75MM ⊗ BEARING TYPE: 25MM PRICE: 3650/- ITEM CODE: IV351-C-210-300X75-RB Load Capacity: 700kg/ wheel		SIZE: 400X100MM ⊗ BEARING TYPE: 6307/6308 PRICE: 7300/- ITEM CODE: IV351-C-203-400X100-RB Load Capacity: 1000kg/ wheel
	SIZE: 300X88MM ⊗ BEARING TYPE: 6205 PRICE: 2800/- ITEM CODE: IV351-C-209-300X88-RB Load Capacity: 500kg/ wheel		SIZE: 400X100MM ⊗ BEARING TYPE: 6308 PRICE : 7600/- ITEM CODE: IV351-C-201-400X100-RB Load Capacity: 1000kg/ wheel



HEAVY DUTY - HIGHT QUALITY RUBBER RIM TYPE Wheel (WITHOUT BALL BEARING)

PHOTO	DESCRIPTION	PHOTO	DESCRIPTION
	SIZE: 150X50MM ≡ BUSH TYPE: (RIM 1.2MM) PRICE: 600/- ITEM CODE: IV351-R-240-150X50-RB Load Capacity : 60kg/ wheel		SIZE: 300X75 ⊗ BEARING TYPE: 6205 (RIM 1.2MM) PRICE: 1950/- ITEM CODE: IV351-R-235-300X75-RB Load Capacity: 225kg/ wheel
	SIZE: 200X50 ≡ BUSH TYPE: (RIM 1.2MM) PRICE: 700/- ITEM CODE: IV351-R-239-200X50-RB Load Capacity: 75kg/ wheel		SIZE: 300X75 ⊗ BEARING TYPE: 6205 PRICE: 1. 2250/- 2. 3350/- ITEM CODE: 1. IV351-R-234-300X75-RB (RIM:1.6MM) 2. IV351-R-233-300X75-RB (RIM:3 MM) Load Capacity: 1. 275kg/ wheel 2. 375kg/ wheel
	SIZE: 250X50 ⊗ BEARING TYPE: 6205 (RIM 1.2MM) PRICE: 1100/- ITEM CODE: IV351-R-238-250X50-RB Load Capacity: 150kg/ wheel		SIZE: 300X88 ⊗ BEARING TYPE: 6205 PRICE: 1. 2500/- 2. 3650/- ITEM CODE: 1. IV351-R-232-300X88-RB (RIM:1.6MM): 2. IV351-R-231-300X88-RB (RIM:3 MM): Load Capacity: 1. 300kg/ wheel 2. 400kg/ wheel
	SIZE: 300X50 ≡ BUSH TYPE: (RIM 1.2MM) PRICE: 1200/- ITEM CODE: IV351-R-237-300X50-RB Load Capacity: 150kg/ wheel		SIZE: 350X75 ⊗ BEARING TYPE: 6205 PRICE: 1. 2800/- 2. 4200/- ITEM CODE: 1. IV351-R-230-350X75-RB (RIM:1.6MM): 2. IV351-R-229-350X75-RB (RIM:3 MM): Load Capacity: 1. 400kg/ wheel 2. 550kg/ wheel
	SIZE: 300X50 ⊗ BEARING TYPE: 6205 PRICE: 1200/- ITEM CODE: IV351-R-236-300X50-RB Load Capacity: 175kg/ wheel		SIZE: 400x100 ⊗ BEARING TYPE: 6206/6307 PRICE: 1. 5000/- 2. 5000/- ITEM CODE: 1. IV351-R-228-400x100-RB (RIM:2.5MM): 2. IV351-R-227-400X100-RB (RIM:2.2MM): Load Capacity: 1. 400kg/ wheel 2. 550kg/ wheel



JYOTI ARCHITECTURAL PRODUCTS PRIVATE LIMITED

**A-101, Sagar Tech Plaza, Andheri - Kurla Rd,
Sakinaka, Andheri East, Mumbai, Maharashtra 400072**

Website: www.jyotiarch.in: Email: info@jyotiarch.in

Contact On: 022 4242 1000